



THE CANADIAN MADE TOOL LINE

for . . .

AUTOMOTIVE
AVIATION
REFRIGERATION
INDUSTRIAL
AGRICULTURAL
MARINE

GRAY-BONNEY TOOL COMPANY, LIMITED

St. Clarens and Dupont
TORONTO - CANADA

Subsidiary of GRAY FORGINGS AND STAMPINGS LIMITED

Statements of Policy

WARRANTY REPLACEMENTS

All Gray Bonney Tools are made from the finest obtainable steels to meet the normal conditions to which the tool will be subjected. Every Gray-Bonney Tool is individually inspected before leaving the factory, and is guaranteed against defects in workmanship and in materials. All tools that do not live up to this Guarantee will be replaced or repaired free of charge.

Free replacement cannot be made if inspection shows that tools have been hammered or used with any device for adding any extra leverage — tools have been ground thinner or changed in design — have been used for any purpose other than that for which they have been designed.

Gray Bonney Tools cannot be replaced free of charge that show normal wear and tear — damage from contact with hot wires — damage resulting from alterations or tampering — breakage from abuse or overload.

Gray Bonney Files, Punches, Chisels or Screw Drivers cannot be replaced free of charge that show they have been used for other than their intended purpose, or show damage to the teeth or cutting edges resulting from use on hardened materials or tempered steel wire. Abrasive plating on File cutting edges not guaranteed. Punches and Chisels which have been reground cannot be replaced.

WHOLESALE RETURNS

Gray Bonney Tools acceptable for return under conditions stated hereunder will be confined to those hand tools listed in this catalog or subsequent issues thereof. Such tools will be of current design, finishes and markings.

Gray Bonney Tools ordered in mass are acceptable for return without handling charge if returned to factory within 30 days of original shipping date by way of prepaid transportation.

During each October or November wholesalers may submit written information on tools eligible for return and considered surplus in inventory. Written return authorization will be furnished to the wholesaler subject only to prepaid transportation and other conditions stated herein. Valuation of tools for return will not exceed at current factory cost any amount greater than ten per cent of purchases from us during the previous twelve month period. All returns are to be made during December only and a handling charge of ten per cent will apply. Factory allowance will be in form of book credit to apply against current or future purchases from us.

The Home of **GRAY-BONNEY** Tools



Gray-Bonney Manufacturing Plants
at Toronto and Welland



Gray-Bonney Tools have a wide acceptance among the mechanics in every branch of industry. Every Gray-Bonney Tool is specially designed for a particular application—combines light weight with strength and enables the user to do each job well — quickly — easily.

Made by Canadian Tool Craftsmen with pride in their ability to produce fine hand tools, backed by 37 years of manufacturing experience and proved on the testing ground of time—these tools have earned the reputation "the Finest that money can buy".

GRAY-BONNEY TOOL COMPANY, LIMITED

Subsidiary of GRAY FORGINGS and STAMPINGS LIMITED

TORONTO

CANADA



ALPHABETICAL TOOL INDEX

	PAGE		PAGE		PAGE
Adaptors—Reducing, Increasing ..	8	Handies and Attachments for Sockets:		Set Screw Wrenches	25
Adjustable Pliers	32, 33	For 1/4" Square Drive	3	Shop Knife	29
Adjustable Wrenches	25	For 3/8" Square Drive	4	Snap Ring Pliers	31
Ball Pein Hammers	44	For 1/2" Square Drive	8, 14	Snips	33
Battery Tools	32, 38	For 3/4" Square Drive	15		
Body and Fender Tools, 44, 45, 46, 47		For 1" Square Drive	18	Socket Wrench Sets:	
Box Wrenches	22, 23, 24, 51	For British—Same as above		1/4" Square Drive	3
Brake Cylinder Hone	31	Head Screw Wrenches	25	3/8" Square Drive	5
Brake Wrenches and Pliers	30-31	Heavy Duty Box Wrenches	23	1/2" Square Drive	11, 12, 13, 14
British Size Wrenches	48, 49, 50, 51	Holding Tools	40	3/4" Square Drive	16, 17
Bumping Hammers	44-45	Hores	31, 40	1" Square Drive	18
Bushing Removers	26	Hub Cap Remover	39	British Sizes	48, 49, 50
Cabinets	57	Hydraulic Brake Tools	30, 31	Combination	9, 10, 11
Cadillac Wrench for Ford	24	Ignition Pliers	33	Industrial	10, 11, 16, 17, 18
Cannon Scraper	29	Ignition Wrenches	21	Master	9
Castor Camber Wrenches	24	Industrial Box Wrenches	23	Refrigeration	52, 53
Chart of Wrench and Socket		Industrial Socket Wrenches			
Chenings	60	9, 10, 16, 17, 20		Sockets:	
Chisels	35	Lining Up Punches	35	1/4" Square Drive	3
Clutch Alignment Set	29	Lock Ring Replacer	28	3/8" Square Drive	4, 25
Clutch Head Screw Drivers	43	Lock Ring Pliers	31	1/2" Square Drive	6, 7
Combination Pliers	32	Magnetic Tools	40	3/4" Square Drive	15
Con. Hub Sockets for Ford	7	Manifold Wrenches	24	1" Square Drive	18
Cutting Pliers	32, 33	Magnetic Hammer	45	Drag Link	4, 7
Cylinder Ridge Reamer	44	Numerical Index	58, 59	Extra Deep	4, 6, 15
Cutting Hammers	45-46	Offset Screw Drivers	39	Ford Con. Rod	7
Dolly Blocks	46	Oil Drain Plug Wrench	46	Spark Plug	4, 6
Door Panel Spoons	4, 7	Panel Spoons	42	British Sizes	50
Drop Link Sockets	39	Phillips' Screw Drivers	26	Soft Face Hammers	44
Drum Plug Wrenches	21	Pilots for Reamers	25	Spark Plug Chart	6
Electrical Wrenches	19, 20, 51	Pipe Wrenches	29	Spark Plug Sockets	4, 6
Engineers' Wrenches	4, 15, 50	Piston Tools	31, 32, 33	Split Washer Replacer	28
Extra Deep Sockets	26	Pliers	35	Starter Wrenches	24
Expansion Reamers	27	Pry Bar	27, 38	Stud Removers	8, 15
Extractors	30, 54	Punches and Chisels	34, 35	Tappet Wrenches	24, 51
Flare Nut Wrenches	30, 37	Reamers	26	Thread Restorers	27
Feeler Gauges	46	Refrigeration Tools	52, 53, 54, 55	Tire and Rim Hammer	39
Fender Mallet	46	Ridge Reamer	20	Tire and Rim Irons	39
Files and Holders	50	Right Angle Wrenches	39	Tool Boxes	57
Flashing Tool	40	Rim Wrenches	29	Torque Wrenches	14
Hooked Cutter Bit	27	Ring Compressor	29	Tube Benders	56
Grease Pullers	40	Ring Groove Cleaner	35	Tube Cutters	56
Hacksaw Blades and Frames		Rivet Buster	42	Tu-Type Wrenches	22
Hammers		Robertson Screw Driver	57	Universal Joints	4, 8, 15
Ball Pein	44	Roller Cabinet	40	Universal Joint Sockets	4, 7
Body and Fender	44, 45	Saw Frames and Blades	41, 42, 43	Valve Tools	28
Magnetic	44	Screw Drivers	4	Vise-Grip Pliers	56
Ball Pein	44	Screw Driver Sockets	4	Water Pump Pliers	32
File and Rim	39	Screw Extractors	27	Welding Clamp	56
Hydrolators	46			Wheel Puller	27
				Wire Brush	38

GRAY-BONNEY EXTRA SMALL SERIES 1/4" DRIVE SOCKET SETS

These Gray-Bonney 1/4" drive midget sockets and attachments are the ultimate in precision design and manufacture. The new improved small head reversible ratchet, tiny handles and extra thin wall lock-on sockets are produced from the finest alloy steel and all are chrome plated. Created for motor tuneup specialists and those who service starting—lighting—ignition—instruments and radio. They will prove a welcome addition to any tool equipment. Each individual piece available separately from open stock.

No. VS14 Set

Contains 14 Pieces—3/16" to 3/8"

Approx. Weight 1-1/4 lbs.



A dandy pocket size kit of sockets and attachments with reversible ratchet for turning small nuts. All pieces are made of the finest alloy steel, fully chrome plated. Packed complete in strong attractively finished metal box measuring 6-3/16" x 2" x 1/2". Contents listed in the table below.

No.	Description	No.	Description
V6	3/16" S.H. Socket	V14	7/16" D.H. Socket
V7	7/32" " "	V18	1/4" D. Sq. " "
V8	1/4" " "	V19	5/16" " " "
V9	9/32" " "	V20	3/8" " " "
V10	5/16" D.H. " "	V21	Rev. Ratchet 4-3/8"
V11	11/32" " "	V22	Flex. Handle 5-3/4"
V12	3/8" " "	V23	Cross Bar 3 1/2"

No. VS13 Set

Contains 13 Pieces—3/16" to 3/8"

Approx. Weight — 1 lb. 2 oz.

This pocket size set is for those that wish to start with the most essential units and build up to a larger kit. Packed in attractively finished metal box measuring 6-3/16" x 2" x 1/2". Other than being minus the ratchet, the contents of this set are identical to the VS14 listed above.

Other Attachments for Extra Small Series

V18—6" Extension V22—6" Insulated Handle
V19—2" Extension *V25—Repair Kit for V25 Ratchet

No. VS30 Set

Contains 30 Pieces—3/16" to 1/2"

Approx. Weight 2-3/4 lbs.



An unusually complete set of extra small sockets and attachments, plus an assortment of miniature box and open end wrenches, feeler gauge, ignition plier and pocket size screw driver that any mechanic will find useful for electrical, radio and other small work. Packed in attractively finished metal box measuring 8-7/16" x 3-7/16" x 1". Included in this set are one each of the following:

No.	Description	No.	Description
V6	3/16" S.H. Socket	E16	Ignition Wrench
V7	7/32" " "	E18	" " "
V8	1/4" " "	E20	" " "
V9	9/32" " "	E22	" " "
V10	5/16" D.H. " "	E24	" " "
V11	11/32" " "	E26	" " "
V12	3/8" " "	E28	" " "
V14	7/16" " "	E30	" " "
V18	1/4" D. Sq. " "	E40	Ex. Small Box Wrench
V19	5/16" " "	E42	" " "
V20	3/8" " "	E44	" " "
*V25	Rev. Ratchet 4-3/8"	E46	" " "
V26	Flex. Handle 5-3/4"	001	Ignition Screw Driver
V27	Cross Bar 3-1/2"	S17	Ignition Plier
E14	Ignition Wrench	K52	Ignit. Feeler Gauge

Ignition Wrench Specifications on Page 21

No. VS24 Set

Contains 24 Pieces—3/16" to 1/2"

Approx. Weight 2-1/2 lbs.


This is a modified version of the VS30 Set illustrated above. The only difference between them is the VS24 Set does not include a feeler gauge, screw driver or the Midget box wrenches.

The Finest That  Money Can Buy

GRAY-BONNEY SMALL SERIES 3/8" DRIVE SOCKETS AND ATTACHMENTS

The 3/8" drive sockets and attachments have become a must for all good mechanics' tool kits. The new chrome plated, thin wall alloy steel sockets, extra slim handles and attachments, plus lock-on feature, are designed to allow the modern mechanic to get at the tightest spots on modern motors, aircraft and refrigeration units with ease.

Handles and Attachments



3/8" Drive Small Series Attachments

No.	Description	No.	Description	No.	Description
T30	9-3/4" Flexible Handle	T9	16 1/4" Speeder	T5	11" Extension
T32	Cross Bar	T27	Drag Link Socket	AT4	6" Webble Dr. Extension
*T35	0-1/2" Reversible Ratchet	T1	1-1/2" Extension	AT5	12" " "
T36	7-3/4" Slide T Handle	T31	3" " "	T42	5-1/8" Insulation Handle
T3	Universal Joint	T4	6" " "		

* No. T35 Repair Kit for Ratchet No. T35.

3/8" Square Drive Sockets

Open.	Single Hexagon	Open.	Double Hexagon	Open.	Double Square	Open.	Deep Single Hexagon	Open.	Deep Double Hexagon	Open.	Deep Double Square
5/16"	TH10	5/16"	T10	1/4"	TS5	7/16"	T140	3/8"	LT12	3/8"	LTS12
3/8"	TH12	3/8"	T12	5/16"	TS10	1/2"	T160	7/16"	LT14	7/16"	LTS14
7/16"	TH14	7/16"	T14	3/8"	TS12	9/16"	T180	1/2"	LT16	1/2"	LTS16
1/2"	TH16	1/2"	T16	7/16"	*TS14	5/8"	T200	9/16"	LT18	9/16"	LTS18
9/16"	TH18	3/16"	T18	1/2"	*TS16	11/16"	T220	5/8"	LT20	5/8"	LTS20
5/8"	TH20	10/32"	T19	9/16"	*TS18	3/4"	T240	11/16"	LT22	Dble. Hex. U. J. Socket	
11/16"	TH22	5/8"	T20	5/8"	*TS20	13/16"	T260	3/4"	LT24		
3/4"	TH24	11/16"	T22			7/8"	T280	13/16"	LT26		
		3/4"	T24					7/8"	LT28		
		13/16"	T26							7-16"	T144
		7/8"	T28							1/2"	TU16
										9/16"	T118
										5/8"	TU20

* Semi-deep sockets

No. LT9 Extra Deep Socket Set



Packed in fibre box.

Contains 9 Sockets 3/8" to 7/8"

No. T34 Screw Driver Socket



This handy attachment permits the use of a speeder or ratchet as a screw driver. The tool is 3-1/2" long with a 3/8" wide blade and a 3/64" thick tip. Not guaranteed.

GRAY-BONNEY SMALL SERIES 3/8" DRIVE SOCKET SETS

TG21 Set

This set has the straight wall sockets with the popular double hexagon openings. It has been designed especially for those who want quality with a minimum investment. Contains 21 pieces each selected for the large number of uses to which it may be put. All pieces are made of high quality alloy steel, chrome plated. Packed complete in attractively finished metal container measuring 17-1/4" x 5" x 1".

The TG21 Set includes one each of the following

Size	No.	Description	Size	No.	Description
3/8"	T12	D.H. Socket	11/16"	T22	D.H. Socket
7/16"	T14	" "	3/4"	T24	" "
1/2"	T16	" "	1/4"	TS8	D.S. "
9/16"	T18	" "	5/16"	TS10	" "
10/32"	T19	" "	3/8"	TS12	" "
5/8"	T20	" "			

and the following attachments

No.	Description	No.	Description
T3	Universal Joint	T27	Drag Link Socket
T31	3" Extension	T30	Flexible Handle
T4	6" "	T32	Cross Bar
T5	11" "	T35	Reversible Ratchet
T9	Slider	T36	Sliding Tee Handle

TG15 Set

This TG15 Set includes the 8 most popular 3/8" drive Single Hexagon Sockets together with two extensions, Universal Joint, Reversible Ratchet, Sliding "T" Handle, Flexible Handle and Cross Bar. This selection is ideally suited to aviation and light automotive service work. Supplied in metal box.

Content includes one each of the following

Size	No.	Description	Size	No.	Description
5/16"	TH10	S.H. Socket			
3/8"	TH12	" "	T31	3" Extension	
7/16"	TH14	" "	T4	6" "	
1/2"	TH16	" "	T30	Flex. Handle	
9/16"	TH18	" "	T32	Cross Bar	
5/8"	TH20	" "	T35	Rev. Ratchet	
11/16"	TH22	" "	T36	Sl. "T" Handle	
3/4"	TH24	" "	T3	Univ. Joint	

TG12 Set

This inexpensive chrome plated set, packed in a neat metal box, is an ideal beginning towards a complete 3/8" drive socket set. True quality with a minimum investment.

Contents of TG12

Size	No.	Description	Size	No.	Description
3/8"	T12	D.H. Socket	3/4"	T24	D.H. Socket
7/16"	T14	" "	1/4"	TS8	D.S. "
1/2"	T16	" "	5/16"	TS10	" "
9/16"	T18	" "	3/8"	TS12	" "
5/8"	T20	" "			
11/16"	T22	" "	T30	Flex. Handle	
			T32	Cross Bar	

TG21 Set

Contains 20 Pieces — 1/4" to 3/4"
Approx. Weight 8 lbs.



TG15 Set

Contains 15 Pieces — 5/16" to 3/4"
Approximate Weight 3 3/4 lbs.



TG12 Set

Contains 12 Pieces — 1/4" to 3/4"
Approx. Weight 2 lbs.



The Finest That  Money Can Buy

GRAY-BONNEY EXTRA DEEP SOCKETS 1/2" SQUARE DRIVE SERIES

Gray-Bonney extra-deep sockets find many applications in automotive service work, but are especially suitable for removing and replacing spark plugs. Their overall length, 3-1/4 inches, and the exceptional depth of their openings, give them an advantage over ordinary sockets of similar type. They are made of selected alloy steel, are carefully heat-treated, heavily chrome plated and polished to a high and permanent lustre.

EXTRA-DEEP DOUBLE HEXAGON SOCKETS

Opening	Socket Number	Length	Opening	Socket Number	Length
1/2"	LD16	3-1/4"	13/16"	LD26	3-1/4"
9/16"	LD18	3-1/4"	7/8"	LD28	3-1/4"
5/8"	LD20	3-1/4"	15/16"	LD30	3-1/4"
11/16"	LD22	3-1/4"	1"	LD32	3-1/4"
3/4"	LD24	3-1/4"	1-1/16"	LD34	3-1/4"
			1-1/8"	LD36	3-1/4"

LD5 Spark Plug Set

This five piece extra-deep Socket Set provides for removal and installation of spark plugs in most car, truck and other engines.

One each of the following sockets included:

LD22 (11/16") LD28 (7/8") LD32 (1")

LD26 (13/16") LD30 (15/16")

Supplied in metal box as illustrated.

LD10 Extra-Deep Socket Set

This deluxe set of ten extra-deep double hexagon sockets is ideal equipment for all good mechanics. It provides the full size range needed to service all spark plugs and the deep set nuts used on shackle and most other spring bolts. Supplied in a special steel tray as illustrated.

Sockets for 10MM Plugs

Make of Plug	Socket	Make of Plug	Socket
AC 108, 106, 104-, 104	LD20	Champion Y8, Y6, Y4A	LD20
AC 103	LD18	Champion Y4, Y5	LD20
AC MS, 103 S	LD22	Auto-Lite P6, F4	LD20

Chart of Spark Plug Sockets for Popular Passenger Cars




Make	1941	1942	1946	1947	1948	1949	Make	1941	1942	1946	1947	1948	1949
Buick	LD26	LD26	LD26	LD26	LD26	LD26	Meier	LD26	LD26	LD26	LD26	LD26	LD26
Cadillac	see 10mm	see 10mm	see 10mm	see 10mm	see 10mm	LD26	Monarch	LD26	LD26	LD26	LD26	LD26	LD26
Chevrolet	LD26	LD26	see 10mm	see 10mm	see 10mm	LD26	Nash	LD26	LD26	LD26	LD26	LD26	LD26
Chrysler	LD26	LD26	LD26	LD26	LD26	LD26	Olds	LD26	LD26	LD26	LD26	LD26	LD26
Datsun	LD26	LD26	LD26	LD26	LD26	LD26	Packard	see 10mm	see 10mm	see 10mm	see 10mm	see 10mm	see 10mm
Dodge	LD26	LD26	LD26	LD26	LD26	LD26	Plymouth	LD26	LD26	LD26	LD26	LD26	LD26
Ford	LD26	LD26	LD26	LD26	LD26	LD26	Pontiac	LD26	LD26	LD26	LD26	LD26	LD26
Hudson	LD26	LD26	LD26	LD26	LD26	LD26	Stu. Cham.	LD26	LD26	LD26	LD26	LD26	LD26
Lincoln	LD26	LD26	LD26	LD26	LD26	LD26	Stud. Com.	LD26	LD26	LD26	LD26	LD26	LD26
Mercury	LD26	LD26	LD26	LD26	LD26	LD26	Willys	LD26	LD26	LD26	LD26	LD26	LD26

*AC106 10mm Partial Equipment

GRAY-BONNEY 1/2" SQUARE DRIVE SERIES STANDARD AND IMPACT TYPE SOCKETS

Gray-Bonney Standard Series 1/2" Square Drive Sockets are thinner and tougher than ordinary sockets of the same design because each is individually hot forged from the finest electric furnace alloy steel. This ensures accuracy and greater strength. Gray-Bonney sockets are correct in design and size, carefully heat treated for longer wear. They are equipped with the lock-on feature and each is highly polished and heavily chrome plated.

STANDARD TYPE SOCKETS

Double Hexagon		Double Square		Single Hexagon	
					
Opening	Number	Opening	Number	Opening	Number
3/8"	1406	3/8"	D406S	7/16"	407
7/16"	1407	7/16"	D407S	1/2"	408
1/2"	1408	1/2"	D408S	9/16"	409
9/16"	1409	9/16"	D409S	5/8"	410
19/32"	1419	5/8"	D410S	11/16"	411
5/8"	1410	11/16"	D411S	3/4"	412
21/32"	1421	3/4"	D412S	13/16"	413
11/16"	1411	7/8"	D413S	7/8"	414
3/4"	1412	1"	D432S	15/16"	415
25/32"	1425				
13/16"	1413				
7/8"	1414				
15/16"	1415				
31/32"	1431				
1"	1432				
1-1/16"	1433				
1-1/8"	1434				
1-5/16"	1435				
1-1/4"	1436				

FORD CONNECTING ROD SOCKETS



No. 499—A 1/2" Square Drive 9/16" Single Hexagon Socket for use when adjusting Ford V-8 motor connecting rod bearing cap nuts. The nose of this socket is thin to make this adjustment easy. Not guaranteed.

No. 1421—A 1/2" Square Drive Socket with 21/32" double hexagon opening, used when adjusting Ford Model A motor connecting rod bearing cap nuts.

SINGLE HEXAGON UNIVERSAL JOINT SOCKET

Opening	Number
7/16"	291UJ
1/2"	33UJ
9/16"	371UJ
5/8"	41UJ
11/16"	451UJ
3/4"	491UJ

Drag Link Sockets



Width of Blade	Socket Number	Drive	Application
15/16"	405	1/2" Sq.	Pass. Cars
1 1/4"	4002	1/2" Sq.	Trucks

No. SW15T Set contains fifteen straight wall sockets: 7/16", 1/2", 9/16", 5/8", 21/32", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4".



Industrial Sockets for use on Impact Wrenches and Power Runners

Single Hexagon 1/2" Square Drive Series

These Industrial 1/2" Square Drive Single Hexagon Sockets are for use with power driven impact wrenches and power nut runners. They are made of select Chrome-Vanadium alloy steel, are heat treated and nickel plated. These Industrial Sockets have additional wall strength needed for maximum life service under extreme operating conditions.

Single Hex Openings


Opening	Number
7/16"	2407
1/2"	2408
9/16"	2409
5/8"	2410
11/16"	2411
3/4"	2412
13/16"	2413
7/8"	2414



GRAY-BONNEY STANDARD SERIES 1/2" DRIVE ATTACHMENTS AND ADAPTORS

Gray-Bonney handles and attachments are forged slimmer and lighter for your convenience, due to the use of high carbon alloy steel, scientifically heat-treated to assure maximum strength. All Gray-Bonney attachments are highly polished and heavily chrome plated.

Handles and Attachments



HANDLES AND ATTACHMENTS

ADAPTORS

No.	Description	No.	Description	Openings	
				Female	Male
403	Connector for 603	709	Universal Joint	1 1/2" Sq. & 3/4" Sq.	
603	Ratchet & Connector	718S	2' Forged Extension	1 1/2" Sq. & 1 1/2" Sq.	
652	12" Flex. Handle	718	" " " "	1 1/2" Sq. & 3/4" Sq.	
653	15" " "	719A	10" " " Rev. Grip	1 1/2" Sq. & 1 1/2" Sq.	
653L	18" " "	719	10" " " "	1 1/2" Sq. & 3/4" Sq.	
655	Cross Bar	720	20" " " "	1 1/2" Sq. & 1 1/2" Sq.	
685	12" T. Hdl. Rv. G-p.	*1197	10" Reversible Ratchet		
686	18" Speeder Rv. Grip.	*4897	13" " " "		
687	11 1/2" " " "	2591	Stud Remvr. (3/16" x 3/4")		
699	11" Slide T. Handle				
				Openings	
				Male	Male
				No.	
				4202	1 1/2" Sq. & 3/4" Sq.

* Order Ratchet Repair Kits under number applying to ratchet.



No. 4897 Deluxe Model Ratchet

1/2" Square Drive

Length 10"

Weight 1-1/4 Lbs.

Here is the most ultra-modern deluxe free wheeling reversible type ratchet ever offered in the popular half-inch square drive series. It was developed to fill mechanics' needs for a close quarter, positive engagement ratchet with minimum drag — a characteristic of free wheeling ratchets. Its internal mechanism is of the cam and dual pinion type operating within a 46 tooth planetary gear. This quiet operating ratchet has tremendous load carrying capacity. It provides the strength of a positive engagement mechanism, but without the drag normally found in this type of tool. It ratchets on every 7 1/2 degrees of turning travel. It has a convenient slide type thumb operated reversing mechanism. The new grip was designed for greatest hand comfort. Fully chrome plated and guaranteed.

GRAY-BONNEY MASTER SETS

MS102MSB Set

Contains 102 Pieces

Approx. Weight 100 lbs.

This Master Set MS102MSB contains the finest and most complete set of Gray-Borney Tools ever assembled in one kit. 102 pieces — including one of almost every description to do practically any job encountered. Complete sets of sockets and attachments, box wrenches, open end wrenches, tap/wrenches, pliers, hammers, punches, chisels and screw drivers — all are included. The complete assortment is packed in a massive three drawer metal chest, attractively finished, which has removable tray, lock hasp and carrying handles. Chest measures 21-1/4" x 12-1/4" x 11-1/8".

NOTE—Tools contained in this set also available in set MS102SB. The SB Cabinet is illustrated on page 57.



COMPLETE LIST OF CONTENTS LISTED BELOW


Open	No.	Description	Open	No.	Description	No.	Description	No.	Description
1 1/4" Square Drive (See page 3)			1/2" Square Drive			Engineers Wrenches		Screw Drivers	
AS13 Socket Set			7/16"	D107S	Dble. Sq. Socket	1723	3/4" x 1 1/4"	04	4" Rd. Shank
			1/2"	D406S	" "	1725B	3/4" x 1 1/2"	06	" "
			9/16"	D103S	" "	1027	1 1/4" x 1 1/2"	08	" "
3/8" Square Drive				405	Drag Link	1729	3/4" x 3/4"	606	6" Electrician
3/8"	T12	Dble. Hex. Socket	13/16"	LD26	Deep	1731B	1 1/4" x 1 1/2"	S01	1 1/2" x 1/2" using
7/16"	T14	" "	7/8"	LD28	" "	1033C	1 1/4" x 1 1/2"		
1 1/2"	T16	" "	1 1/8"	LD30	" "				
1 3/8"	T18	" "		LD32	" "				
5/8"	T20	" "	1 1/8"	LD36	" "				
1 1/16"	T22	" "		651	15" Flexible Handle	Tappel Wrenches			Pliers
3 1/4"	T24	" "		699	Slide T. Handle	122	2 of 1 1/2" x 1 1/4"	B17	6" Diagonal
	T31	3" Extension		655	Cross Bar	124	2 of 1 1/2" x 1 1/4"	258	Water Pump
	T4	3" "		667	14 1/2" Spreader			513	7" Combination
	T5	11" "		685	19" "			517	Igniter Type
	T9	Spreader		718S	2" Extension	Box Wrenches		S22	Battery
	T35	Reversible Ratchet		718	5" "				Hammers
	T36	Sliding T. Handle		719A	10" "	2384	3/4" x 1 1/2"		
				709	Universal Joint	2385	3/4" x 1 1/2"	212G	1 lb. Ball Pen
				4627	Reversible Ratchet	2387	3/4" x 1 1/2"	212K	1 lb.
						2383	3/4" x 3/4"	P4115	3 1/2 lb. Soft Face
3/2" Square Drive			3/4" Square Drive			Chisels		Container Options	
7/16"	1407	Dble. Hex. Socket	1-1/16"	HD31	Dble. Hex. Socket	C2	1st 1 1/2" x 5 1/2"		
1 1/2"	1408	" "	1-1/8"	HD35	" "	C3	" 1 1/2" x 6"		
9/16"	1409	" "	1-1/4"	HD40	" "	C4	" 1 1/2" x 6 1/2"		
19/32"	1410	" "	1 3/8"	HD46	" "				
5/8"	1411	" "	1 7/8"	HD44	" "	Punches			
21/32"	1421	" "	1 1/2"	HD43	" "	C22	Solid 1 1/4" x 1 1/4"	MS102 SP (Set for SLE Box)	
11/16"	1422	" "	1 1/2"	HD45	" "	C28	Pie 1 1/4" x 1 1/4"	MS102 MS1	
3 1/8"	1412	" "	1 1/2"	HD46	" "	C30	1 1/4" x 1 1/4"	(Set in MS1 Chest)	
25/32"	1425	" "	1 1/2"	HD46	" "			MS102 MS167 (Set in Chest)	
13/16"	1413	" "	1 1/2"	HD43	" "			MS102 MS167 (Set in Chest)	
7/8"	1414	" "	1 1/2"	HD43	" "			MS102 MS167 (Set in Chest)	
15/16"	1415	" "	1 1/2"	HD43	" "			MS102 MS167 (Set in Chest)	
3 1/32"	1431	" "	86	Slide T. Handle				MS102 MS167 (Set in Chest)	
1"	1422	" "	88S	4" Extension				MS102 MS167 (Set in Chest)	
			88	" "				MS102 MS167 (Set in Chest)	
			88	" "				MS102 MS167 (Set in Chest)	

GRAY-BONNEY COMBINATION SETS

MS79 Combination Set

Contains 79 Pieces—3/16" to 1-5/8"

Approx. Weight 60 lbs.




Gray-Bonney MS79 Set is ideal for the millwright or plant engineer who requires a general purpose wrench set. Tools supplied are identical with sockets and attachments plus open and box end wrenches supplied in set No. MS102 illustrated on page 9. Content includes 3/8" square drive double hexagon sockets and attachments, 1/2" square drive double hexagon, extra deep double hexagon, and double square sockets and attachments, 3/4" square drive double hexagon sockets and attachments, miniature 1/4" square drive sockets and attachments, open end and double hexagon box wrenches. These Chrome-Vanadium alloy steel tools supplied in a strong metal box with removable tray as illustrated. Size of box 21" L x 7-1/2" H x 8-1/8" W.

CS48 Combination Set

Contains 48 Pieces—3/8" to 1-5/8"

Approx. Weight 50 lbs.



This CS48 Combination Set was created for the service man who does all types of general repairs on cars, trucks and tractors. It contains a good range of 3/4" square drive double hexagon sockets and attachments including a deluxe heavy duty reversible type ratchet in addition to entire content of SW35 1/2" square drive socket set listed on page 11. This set is recommended to millwrights, construction and plant engineers. Supplied in strong metal box as illustrated.

The CS48 Set includes the following

Open	No.	Description	Open	No.	Description
3/8"	1406	D.H. Socket	13/16"	1415	D.H. Socket
7/16"	1407	" "	31/32"	1431	" "
1/2"	1408	" "	1"	1432	" "
9/16"	1409	" "	1-1/16"	1433	" "
5/8"	1410	" "	1-1/8"	1434	" "
21/32"	1411	" "	1-3/16"	1435	" "
11/16"	1412	" "	1-1/4"	1436	" "
3/4"	1413	" "	3/8"	D406S	D.S. Socket
25/32"	1414	" "	7/16"	D407S	" "
13/16"	1415	" "	1/2"	D408S	" "
7/8"	1416	" "	9/16"	D409S	" "
			5/8"	D410S	" "

3/4" Square Drive Sockets and Attachments

Open.	No.	Description	Open.	No.	Description
1"	HD32	D.H. Socket	1-1/2"	HD48	D.H. Socket
1-1/16"	HD34	" "	1-5/8"	HD52	" "
1-1/8"	HD36	" "	86	17-1/2" S.T. Hdle.	
1-1/4"	HD40	" "	88	8" Extension	
1-3/8"	HD44	" "	87	15-1/2" "	
1-7/16"	HD46	" "	4285	Rev. Ratchet	

1/2" Square Drive Attachments

No.	Description	No.	Description
685	Tec Handle	718	5" Extension
687	14 1/2" Speeder	719	10"
686	10"	653	15" Flex. Handle
655	Cross Bar	699	11" SL "T" Handle
709	Universal Joint	4897	10" Rev. Ratchet
7188	2" Extension	2591	Stud Remover

GRAY-BONNEY COMBINATION AND STANDARD SERIES 1/2" SQUARE DRIVE STRAIGHT WALL SOCKET SETS

Here is a set for the mechanic starting out, containing an assortment of 44 pieces including 1/2" square drive sockets, handles and attachments, pliers, screwdrivers and other miscellaneous tools for which the greatest everyday need will be found. It is inexpensive, yet every piece is of the highest quality. The contents were carefully selected to enable the handling of the greatest variety of repair jobs with the minimum number of tools. The large roomy box measures 21" x 7" x 6" and has ample room for the addition of more tools from time to time. It is equipped with a carrying handle, and a padlock hasp.

The SW41 Set includes one each of the following:

Size	No.	Description	Size	No.	Description
7/16"	1407	D.H. Sock.	7/8"	1414	D.H. Sock.
1/2"	1408	" "	15/16"	1415	" "
9/16"	1409	" "	1"	1432	" "
19/32"	1419	" "	1- 1/16"	1433	" "
5/8"	1410	" "	1- 1/8"	1434	" "
21/32"	1421	" "	1- 1/4"	1436	" "
11/16"	1411	" "	13/16"	LD26	Deep Sock.
3/4"	1412	" "	7/8"	LD28	" "
25/32"	1425	" "	15/16"	LD30	" "
13/16"	1413	" "	1"	LD32	" "

No.	Description	No.	Description
003	3" Screwdriver	686	19" Speeder
04	4" "	709	Universal Joint
08	8" "	718	5" Extension
C3	Chisel	719	10" "
C5	Chisel	4897	10" Deluxe Rev. Ratchet
B17	Diagonal Plier	3114	7/16" Tu-Type Wrench
C23	Punch	3116	1/2" " "
212G	Ball Pein Hammer	3118	9/16" " "
513	Combination Plier	3120	5/8" " "
522	Battery Plier	3122	11/16" " "
653	15" Flexible Handle	3124	3/4" " "
655	Cross Bar	3128	7/8" " "

This 35 piece socket set is an ideal selection for the mechanic that does general repair work. It is a tool kit any man will be glad to own. It includes all the popular regular design double hexagon and double square straight wall sockets, with a worthwhile assortment of the popular attachments. All pieces are made of the finest alloy steel, heavily chrome plated and will retain their original finish indefinitely. The complete set is packed in a sturdy metal case with carrying handle and padlock hasp. Case measures 21" x 7" x 6".

The SW35 Set includes one each of the following:

Size	No.	Description	Size	No.	Description
3/8"	1406	D.H. Sock.	15/16"	1415	D.H. Sock.
7/16"	1407	" "	31/32"	1431	" "
1/2"	1408	" "	1"	1432	" "
9/16"	1409	" "	1- 1/16"	1433	" "
19/32"	1419	" "	1- 1/8"	1434	" "
5/8"	1410	" "	1- 3/16"	1435	" "
21/32"	1421	" "	1- 1/4"	1436	" "
11/16"	1411	" "	3/8"	D406S	D.Sq. Sock.
3/4"	1412	" "	7/16"	D407S	" "
25/32"	1425	" "	1/2"	D408S	" "
13/16"	1413	" "	9/16"	D409S	" "
7/8"	1414	" "	5/8"	D410S	" "

No.	Description	No.	Description	No.	Description
685	7" Tee Handle	709	Univ. Joint	653	15" Flex. Handle
687	14-1/2" Splr.	718S	2" Extension	699	11" S.T. Handl.
686	19" "	719	5" "	4897	10" Deluxe Ratchet
655	Cross Bar	719	10" "		

SW44 Apprentice Combination Set

Contains 44 Pieces—7/16" to 1-1/4"

Approx. Weight 37-1/4 lbs.



SW 35 Set

Contains 35 Pieces—3/8" to 1-1/4"

Approx. Weight 31 lbs.




The Finest That  Money Can Buy

GRAY-BONNEY STANDARD SERIES 1/2" SQUARE DRIVE STRAIGHT WALL SOCKET SETS

SW23 Set

Contains 23 Pieces—7/16" to 1-1/4", Approx. Weight 15-3/4 lbs.

This SW23 set has straight wall sockets with the popular double hexagon openings. It contains sockets with openings that find the most general use plus an excellent assortment of handles and attachments. Each piece is made from carefully selected alloy steel, scientifically heat treated and heavily chrome plated. The substantial metal box has a carrying handle and measures 20-1/4" x 6-1/2" x 1-11/16".



Contents of SW23

Size	No.	Sockets	Size	No.
7/16"	1407	one each	25/32"	1425
1/2"	1408	"	13/16"	1413
9/16"	1409	"	7/8"	1414
19/32"	1419	"	15/16"	1415
5/8"	1410	"	1"	1432
21/32"	1421	"	1-1/16"	1433
11/16"	1411	"	1-1/8"	1434
3/4"	1412	"	1-1/4"	1436

No.	Description	No.	Description
653	15" Flexible Handle	718	5" Extension
655	Cross Bar	719	10" Extension
686	19" Speeder	4897	10" Deluxe Reversible Ratchet
709	Universal Joint		

SW20 Set

Contains 20 Pieces—7/16" to 1". Approx. Weight 14 lbs.

This SW20 set has thirteen straight wall double hexagon sockets and an assortment of the most desirable attachments. Packed in attractive metal case measuring 20-1/4" x 6-1/2" x 1-11/16". All pieces are of high quality alloy steel heavily chrome plated. It makes an ideal set for use either in the shop or on the job.



Contents of SW20

Size	No.	Sockets	Size	No.
7/16"	1407	one each	3/4"	1412
1/2"	1408	"	13/16"	1413
9/16"	1409	"	25/32"	1425
19/32"	1419	"	7/8"	1414
5/8"	1410	"	15/16"	1415
21/32"	1421	"	1"	1432
11/16"	1411	"		

No.	Description
653	15" Flexible Handle
655	Cross Bar
686	19" Speeder
709	Universal Joint
718	5" Extension
719	10" Extension
4897	10" Deluxe Reversible Ratchet

GRAY-BONNEY STANDARD SERIES 1/2" SQUARE DRIVE STRAIGHT WALL SOCKET SETS

This SW18 set has ten popular size regular straight wall sockets and three of the extra deep sockets, all with double hexagon openings. It also includes a high quality deluxe reversible ratchet and other attachments as listed below. These tools are supplied in a sturdy metal case large enough to accommodate additional tools. The case complete with handle and lock hasp measures 21" x 7" x 6".

The SW18 Set includes one each of the following

Open	No.	Description	Open	No.	Description
7/16"	1407	D.H. Socket	3/4"	1412	D.H. Socket
1/2"	1408	" "	13/16"	1413	" "
9/16"	1409	" "	7/8"	1411	" "
19/32"	1419	" "	13/16"	LD26	Ex. Dp. Sock.
5/8"	1410	" "	7/8"	LD25	" "
21/32"	1421	" "	15/16"	LD30	" "
11/16"	1411	" "			

Plus one each of the following

No.	Description	No.	Description
686	19" Speeder	718	5" Extension
699	21" Slide T Handle	719	10" "
4897	Deluxe Reversible Ratchet		

This SW15 is an inexpensive set for the beginner or the man who wishes to do his own repairs. The set contains the same high quality straight wall sockets, handles and deluxe ratchet as the larger sets. It is packed in an attractive metal box which has ample room for additional tools.

The SW15 Set includes one each of the following

Open	No.	Description	Open	No.	Description
7/16"	1407	D.H. Socket	21/32"	1421	D.H. Socket
1/2"	1408	" "	11/16"	1411	" "
9/16"	1409	" "	3/4"	1412	" "
19/32"	1419	" "	13/16"	1413	" "
5/8"	1410	" "	7/8"	1411	" "

Plus one each of the following Handles and attachments

No.	Description	No.	Description
686	19" Speeder	718	5" Extension
699	11" Slide T Handle	719	10" "
4897	Deluxe Reversible Ratchet		

This SW14 Nut Spinner Set contains twelve thin straight wall sockets, and a 15" flexible handle and cross bar. It is an ideal set for the service station or service man doing light repairs. All pieces are made of the finest quality alloy steel and are finished in chromium. This set comes in a metal box.


The following Sockets and Handles are included.

Open	No.	Description	Open	No.	Description
7/16"	1407	D.H. Socket	11/16"	1411	D.H. Socket
1/2"	1408	" "	3/4"	1412	" "
9/16"	1409	" "	13/16"	1413	" "
19/32"	1419	" "	7/8"	1414	" "
5/8"	1410	" "	15/16"	1415	" "
21/32"	1421	" "	1"	1432	" "

Plus No. 653 15" Flexible Handle and No. 655 Cross Bar.


SW18 Set

Contains 18 Pieces—7/16" to 7/8"
Approx. Weight 19-3/4 lbs.



SW15 Set

Contains 15 Pieces—7/16" to 7/8"
Approx. Weight 12-1/2 lbs.



SW14 Nut Spinner Set

Contains 14 Pieces—7/16" to 1"
Approx. Weight 5-3/4 lbs.



GRAY-BONNEY SPECIAL SOCKET SET AND TORQUE WRENCHES

HY10 Set

Contains 10 Pieces
Hydraulic Transmission Set
Approx. Weight 4¾ lbs.

The HY10 Set is for servicing oil change work on Hydra-matic and Dynaflo transmissions. Supplied in metal box as illustrated.

CONTENT OF HY10 SET

No.	Description	Use
T128	7/16" D.H. Socket	Hydramatic Oil Pan Plug
TH18	9/16" S.H. Socket	Flywheel Cover Bolts
TH16	1/2" S.H. Socket	Flywheel Cover Bolts
TH14	7/16" S.H. Socket	Hydramatic fluid plug
TS9	9/32" S.S. Socket	Dynaflo Torque Converter drain plugs
T4	6" Extension	Wrench extension
T35	3/8" D.R. Ratchet	For above wrenches
W6	3/16" I.I.S. wrench	Hydramatic old type fluid plug drain plugs
04	4" Screw Driver	To rotate flywheels
2895A	15/16" x 1" Box	Wrench for dynaflo trans. oil pan plug



Torque Wrenches

1/2 Inch Square Drive Tapered Beam Type




Gray-Bonney tapered beam Torque Wrenches are available in three sizes each of a different torque capacity. This size range will service the majority of cars, trucks, tractors, aircraft and marine engines. They are long and thin for access to the tight spots. Each size has a double scale which can be read from almost any angle or position.

Model	Model	Model
"N-50 50 Ft. Lbs."	"No. 100 100 Ft. Lbs."	"N150 150 Ft. Lbs."

These permanently accurate torque wrenches are produced in large volume and priced to permit every service man to own at least one of the three sizes. They are almost indestructable and not affected by dirt, mud or grease. There are no glass dials or delicate fragile mechanisms—can be carried in the regular tool box with other tools. The built in accuracy of these torque wrenches remains consistent over the range and life of the tool. Engineered for heavy service to meet the need for torque wrenches, compact in size, light in weight, and sufficiently sturdy for the most extreme field service. Note—Other capacities available, information on request.

GRAY-BONNEY HEAVY DUTY SERIES 3/4" SQUARE DRIVE SOCKET ATTACHMENTS



No.	Description	No.	Description
86	17-1/2" Slide T. Hdle.	2590.1	Lt. Wedge for 2590
88S	4" Forged Extension	2590.2	Heavy Wedge for 2590
88	8" Forged Extension	4284	Speeder
87	13-1/2" Forged Extension	4285	20" Reversible Ratchet
89	Ratchet Plug Connector	4288	22" Flex. Handle
*98	19" Ratchet Bar Type	4289	Cross Bar
2590	Stud Remover with Wedges (9/16" to 1")	4295	Univ. Joint

*Order Ratchet Repair Kits under Number Applying to Ratchets

3/4" HEAVY DUTY SOCKETS

"Double Hexagon"			"Double Square"		
Opening	Number	Description	Opening	Number	Description
7/8"	HD28	D. H. Socket	7/8"	S4228	D. Sq. Socket
15/16"	HD30	" "	1"	S4232	" "
31/32"	HD31	" "	1-1/16"	S4234	" "
1"	HD32	" "	1-1/4"	S4240	" "
1-1/16"	HD34	" "	1-7/16"	S4246	" "
1-1/8"	HD36	" "	"Single Hexagon"		
1-3/16"	HD38	" "	2-1/16"	4266	S. Hex. Socket
1-1/4"	HD40	" "	2-1/8"	4268	" "
1-5/16"	HD42	" "	2-1/4"	4272	" "
1-3/8"	HD44	" "	"Extra Deep Single Hexagon"		
1-7/16"	HD46	" "	1"	1H32	S.H. Deep Socket
1-1/2"	HD48	" "	1-1/16"	1H34	" "
1-9/16"	HD50	" "	1-1/8"	1H36	" "
1-5/8"	HD52	" "	1-1/4"	1H40	" "
1-11/16"	HD54	" "			
1-3/4"	HD56	" "			
1-13/16"	HD58	" "			
1-7/5"	HD60	" "			
2"	HD64	" "			
2-3/16"	HD70	" "			



Heavy Duty Socket
Double Hex.


The Finest That Money Can Buy

GRAY-BONNEY HEAVY DUTY SERIES 3/4" SQUARE DRIVE SOCKET SETS

HD25 Set

Contains 25 Pieces 7/8" to 2-3/16"

Approximate Weight 41-1/2 lbs.



This is an extremely fine heavy duty socket wrench set. It contains a complete range of the heavy duty alloy steel forged sockets with double hexagon openings in sizes from 7/8" to 2-3/16", a super heavy reversible ratchet and the other heavy duty attachments as listed below. This is a deluxe set built for hard usage. All pieces are chrome plated and contained in a strong metal box. Set includes one each of:

Open.	No.	Description	Open.	No.	Description
7/8"	HD28	H.D. Sock.	1- 1/2"	HD48	H.D. Sock.
15/16"	HD30	" "	1- 9/16"	HD50	" "
1"	HD32	" "	1- 5/8"	HD52	" "
1- 1/16"	HD34	" "	1-11/16"	HD54	" "
1- 1/8"	HD36	" "	1- 3/4"	HD56	" "
1- 3/16"	HD38	" "	1-13/16"	HD58	" "
1- 1/4"	HD40	" "	2"	HD60	" "
1- 5/16"	HD42	" "	2- 3/16"	HD64	" "
1- 3/8"	HD44	" "		HD70	" "
1- 7/16"	HD46	" "			

plus the following attachments:

No.	Description	No.	Description
86	17-1/2" Slide T Handle	88S	4" Extension
87	15-1/2" Extension	428S	Reversible Ratchet
88	8"	4288	22" Flex. Handle

HD21 Set

Contains 21 Pieces—7/8" to 2"

Approx. Weight 33-1/2 lbs.



This heavy duty set contains a broad range of the heavy duty alloy steel sockets, including sizes from 7/8" to 2". It was designed to handle the heavy work on busses, trucks, tractors and all types of heavy industrial machinery. It is packed in a strong metal box and contains one each of the following:

Open.	No.	Description	Open.	No.	Description
7/8"	HD28	H.D. Sock.	1- 3/8"	HD44	H.D. Sock.
15/16"	HD30	" "	1- 7/16"	HD46	" "
1"	HD32	" "	1- 1/2"	HD48	" "
1- 1/16"	HD34	" "	1- 5/8"	HD52	" "
1- 1/8"	HD36	" "	1- 3/4"	HD56	" "
1- 3/16"	HD38	" "	1-13/16"	HD58	" "
1- 1/4"	HD40	" "	1- 7/8"	HD60	" "
1- 5/16"	HD42	" "	2"	HD64	" "

and following attachments:

No.	Description	No.	Description
86	17-1/2" Slide T Handle	87	15-1/2" Extension
88	8" Extension	428S	Reversible Ratchet
88S	4"		

GRAY-BONNEY HEAVY DUTY SERIES 3/4" SQUARE DRIVE SOCKET SETS

The HD15 Set consists of fifteen well selected pieces chosen to provide a wide range in heavy duty types and sizes with a minimum investment. Supplied in strong metal box.

Content includes

Open	No.	Description	Open	No.	Description
7/8"	HD28	H.D. Socket	1-3/8"	HD14	H.D. Socket
1"	HD32	"	1-7/16"	HD46	"
1-1/16"	HD34	"	1-1/2"	HD48	"
1-1/8"	HD36	"	1-5/8"	HD52	"
1-1/4"	HD38	"	1-3/4"	HD56	"

and following attachments

No.	Description	No.	Description
86	17-1/2" Slide T handle	98	19" Ratchet
87	15-1/2" Extension	89	Ratchet Connector
88	8" Extension		

The HD13 Set is the same as No. HD11 with the addition of a No. 98 Ratchet and the No. 89 Connector. Supplied in metal box shown with HD11 below.

This set is especially valuable for the user who requires heavy duty tools at a minimum investment. It can be built up into the big HD21 set as the same box is used for both sets. It contains one each of the following:

Open	No.	Description	Open	No.	Description
1"	HD32	D.H. Socket	1 1/4"	HD44	D.H. Socket
1 1/4"	HD34	"	1 1/2"	HD46	"
1 3/8"	HD36	"	1 3/4"	HD48	"
1 1/2"	HD40	"	1 5/8"	HD52	"


and following attachments

No.	Description	No.	Description
86	17 1/2" Slide T handle	87	15 1/2" Extension
88	8" Extension		

HD15 Set

Contains 15 Pieces—7/8" to 1-3/4"

Approx. Weight — 24 1/2 lbs.



HD13 Set


Contains 13 Pieces—1" to 1-5/8"

Approx. Weight 23 3/4 lbs.

HD11 Set

Contains 11 Pieces—1" to 1-5/8"

Approx. Weight 18-3/4 lbs.



The Finest That  *Money Can Buy*

GRAY-BONNEY EXTRA HEAVY DUTY SERIES 1" SQUARE DRIVE SET AND SOCKETS

Extra Heavy-Duty Hexagon Sockets Chromium Plated

No.	Opening	Regular Series		Heavy Series	Light Series	Cap Screw
		Bolt Size	Nut Size	Bolt & Nut Size	Nut Size	
X46	1-7/16"			7/8"	1"	
X48	1-1/2"	1"	1"			1-1/8"
X52	1-5/8"			1"	1-1/8"	
X58	1-13/16"			1-1/8"	1-1/4"	
X60	1-7/8"	1-1/4"	1-1/4"			
X61	2"			1-1/4"	1-3/8"	
X70	2-3/16"			1-3/8"	1-1/2"	
X72	2-1/1"	1-1/2"	1-1/2"			
X74	2-5/16"					
X76	2-3/8"			1-1/2"		
X78	2-7/16"	1-5/8"	1-5/8"			
X80	2-1/2"					
X82	2-9/16"			1-3/8"		
X84	2-3/4"	1-3/4"	1-3/4"			
X88	2-5/8"			1-3/4"		
X94	2-15/16"			1-7/8"		
X96	3"	2"	2"			
X100	3-1/8"			2"		

Extra Heavy-Duty Handles and Attachments

No.	Description	No.	Description
X29	Extension, 8-1/2" long	X32	Drive Head, Male
X30	Extension, 17-1/2" long	X33	Drive Head, Female
X31	Sliding Bar, 22" long		

No. XH Extra Heavy-Duty Socket Set 12 Pieces

The Bonney XH Set contains all the most useful 1" square drive hexagon sockets and attachments.

Designed for extra heavy-duty work on buses, trucks, tractors, marine engines and equipment, and industrial machinery.

Packed in a metal box 23" x 6" x 5", with carrying handle, padlock hasp, and end catches, the set includes one each of the following:




No.	Description
X46	1-7/16" Hexagon Socket
X48	1 1/2" Hexagon Socket
X52	1-5/8" Hexagon Socket
X58	1 13/16" Hexagon Socket
X64	2" Hexagon Socket
X70	2 3/16" Hexagon Socket
X76	2 3/8" Hexagon Socket
X29	Extension, 8-1/2" long
X30	Extension, 17-1/2" long
X31	Sliding Bar, 22" long
X32	Drive Head, Male
X33	Drive Head, Female

Net Weight 42 lbs.

GRAY-BONNEY CHROME VANADIUM ENGINEER'S WRENCHES

Drop Forged 15° Angle Opening — Chrome Plated With Polished Heads

Wrench No.	Openings Milled	U.S.S. Bolt Size	Hex. Head Cap Screw	S.A.E. Standard Screws and Nuts	Extreme Length	Thickness of Head
1019	3/16 & 1/4				2-3/4	7/64
1020	1/4 & 5/16	& 1/8	& 1/8	& 1/8	3	9/64
1721	5/16 & 3/8	1/8 &	1/8 & 3/16		5	3/16
1021	5/16 & 13/32	1/8 & 3/16	1/8 &			
1722	5/16 & 7/16	1/8 &	1/8 & 1/4	& 1/4		
1723	3/8 & 7/16		3/16 & 1/4	& 1/4		
1022	5/16 & 1/2	1/8 & 1/4	1/8 & 5/16	& 5/16	5	3/16
1023	13/32 & 1/2	3/16 & 1/4	& 5/16	& 5/16		
1723A	3/8 & 1/2	& 1/4	3/16 & 5/16	& 5/16		
1021	13/32 & 19/32	3/10 & 5/16				
1725	7/16 & 1/2	& 1/4	1/4 & 5/16	1/4 & 5/16	6-1/4	7/32
1725B	1/2 & 9/16	1/4 &	5/10 & 3/8	5/16 & 3/8		
1025	1/2 & 10/32	1/4 & 5/16	5/16 &	5/16 &		
1725A	7/10 & 9/16		1/4 & 3/8	1/4 & 3/8		
1726	1/2 & 5/8	1/4 &	5/16 & 7/16	5/16 & 7/16	7	1/4
1026	1/2 & 11/16	1/4 & 3/8	5/16 &	5/16 &		
1727	9/16 & 5/8		3/8 & 7/16	3/8 & 7/16		
1027	10/32 & 11/16	5/16 & 3/8				
1027C	9/16 & 11/16	& 3/8	3/8 &	3/8 &		
1027S	5/8 & 11/16	& 3/8	7/16 &	7/16 &		
1028S	5/8 & 25/32	& 7/16	7/16 &	7/16 &	8	9/32
1729	5/8 & 3/4		7/16 & 1/2	7/16 & 1/2		
1029	11/16 & 25/32	3/8 & 7/10				
1028	10/32 & 25/32	5/16 & 7/16				
1728	9/16 & 3/4		3/8 & 1/2	3/8 & 1/2	8	9/32
1730	5/8 & 13/16		7/10 & 9/16	7/10 &		
1030	11/10 & 7/8	3/8 & 1/2	& 5/8	& 9/16		
1731	3/4 & 13/16		1/2 & 9/16	1/2 &	9	11/32
1731A	3/4 & 7/8	& 1/2	1/2 & 5/8	1/2 & 5/8		
1033	7/8 & 31/32	1/2 & 9/10	5/8 &	9/16 &		
1031	25/32 & 7/8	7/16 & 1/2	& 5/8	& 9/16	9	11/32
1731B	13/10 & 7/8	& 1/2	9/16 & 5/8	& 9/16		
1732A	3/4 & 1		1/2 & 3/4	1/2 & 11/16		
1032	25/32 & 31/32	7/10 & 9/16				
1732	13/16 & 1		9/16 & 3/4			
1033A	7/8 & 15/16	1/2 &	5/8 &	9/16 & 5/8		
1033C	15/16 & 1		& 3/4	5/8 & 11/16		
1034A	15/16 & 1-1/16	& 5/8		5/8 & 3/4	10 3/4	3/8
1035	31/32 & 1-1/16	9/16 & 5/8		5/8 & 3/4		
1735	1 & 1-1/8		3/4 & 7/8	11/16 &		
1733	7/8 & 1	1/2 &	5/8 & 3/4	9/10 & 11/16	10-3/4	3/8
1034	7/8 & 1-1/10	1/2 & 5/8	5/8 &	9/10 & 3/4		
1734	7/8 & 1-1/8	1/2 &	5/8 & 7/8	9/16 &		
1036	31/32 & 1-1/4	9/16 & 3/4	& 1	& 7/8		
1736	1 & 1-1/4	& 3/4	3/4 & 1	11/16 & 7/8		
1037	1-1/10 & 1-1/4	5/8 & 3/4	& 1	3/4 & 7/8	12	7/16
1737	1-1/8 & 1-1/4	& 3/4	7/8 & 1	& 7/8		
1037A	1-1/8 & 1-5/16		3/4 & 7/8	3/4 & 7/8	12	
1038	1-1/10 & 1-7/16	5/8 & 7/8		3/4 & 1		
1038A	1-5/16 & 1-7/16	& 7/8	1 &	& 7/8		
1738	1-1/8 & 1-3/8		7/8 & 1-1/8			
1739	1 1/4 & 1 3/8	3/4 &	1 & 1-1/8	7/8 &	14	1/2
1039	1-1/4 & 1-7/16	3/4 & 7/8	1 &	7/8 & 1		
1739A	1 1/4 & 1-1/2	3/4 &	1 & 1-1/4	7/8 &		
1739B	1-3/8 & 1-1/2		1-1/8 & 1-1/4			
1040	1-1/4 & 1-5/8	3/4 & 1	1 & 1-3/8	7/8 & 1-1/8		
1041	1 7/16 & 1-5/4	7/8 & 1	1-3/8 &	1 & 1 1/8	15-1/2	9/16



The Finest That  Money Can Buy

GRAY-BONNEY ENGINEERS' WRENCHES AND SETS

No. 12ALR Automotive Wrench Set



No. 12ALR set contains twenty different openings in sizes from 1/4" to 1-1/4". This is an ideal set for general repair service. The following twelve popular usage wrenches are included—1023, 1723, 1024, 1725B, 1725A, 1027S, 1730, 1731, 1031, 1033C, 1035, 1737.

Set 12 ALR in leatherette roll as illustrated.


No. 8ALR Automotive Wrench Set



No. 8ALR set contains sixteen different openings in sizes from 1/4" to 1-1/4". This is a good set for the man who desires a wide range with minimum investment. The following 8 wrenches supplied—1020, 1723, 1725B, 1027S, 1731, 1033A, 1735, 1037.

Set 8 ALR in leatherette roll as illustrated.

No. 10E Engineers' Wrench Set



No. 10E set contains fifteen different openings in sizes from 5/16" to 1-1/16". The following ten wrenches are supplied—1721, 1723, 1725, 1725B, 1727, 1027, 1729, 1031, 1732, 1034A.

Set 10 ELR in leatherette roll as illustrated.

Set 10 ECB supplied in fibre box.

No. 6E Engineers' Wrench Set



No. 6E contains twelve different openings in sizes from 3/8" to 1". The following six wrenches are supplied—1723, 1025, 1027C, 1028S, 1731A, 1033C.

Set 6ELR in leatherette roll as illustrated.

Set 6ECB supplied in fibre box.

Right Angle Wrenches



Openings in the most necessary sizes for wrenches of this type. Drop forged of alloy steel and chrome plated with polished heads. These right angle open end wrenches are ideal for working in close quarters.

No.	Openings	Length	Head Thickness
2723	3/8" & 7/16"	4-1/4"	7/32"
2725B	1/2" & 9/16"	5-1/2"	15/64"
2729RA	5/8" & 3/4"	7-1/2"	5/16"

No. 2509 Wrench



No.	Openings	Length
2509	9, 16, 45 & 9 1/2"	6-3/8"

ELECTRICAL AND IGNITION WRENCHES AND SETS

Gray-Bonney Ignition Wrenches are correctly designed, and have the heads offset at angles of 15 and 60 degrees. Each size is available in either angle head. They are forged from alloy steel, giving extreme lightness with the necessary strength.

No. 16 Ignition Wrench Set



Gray-Bonney Ignition Wrenches are available in handy leatherette rolls. The No. 16 Set, shown above, contains nine wrenches ranging from 13/64" to 1/2". The set is designed so that each opening is duplicated, one having 15° angle and the other a 60° angle. In leatherette case.

No.	Openings		Length	Thickness
	15° End	60° End		
E14	13/64"	15/64"	3"	7/64"
E16	15/61"	13/61"	3"	1/64"
E18	7/32"	1/4"	3"	7/64"
E20	1/4"	7/32"	3"	7/64"
E22	9/32"	5/16"	3-1/2"	1/8"
E21	5/16"	9/32"	3 1/2"	1/8"
E26	11/32"	3/8"	4"	9/64"
E28	3/8"	11/32"	4"	9/64"
E30	7/16"	1/2"	4-1/2"	5/32"

No. 17 Ignition Wrench Set



No. 17 Set contains the same wrenches as No. 16, with the addition of No. 517 pliers and No. 601 screwdriver. In leatherette roll.

No. 20LR Zenel Miniature Wrench Set



Delicate jobs on magnetos, generators, radios, timers, oil cleaners, carburetors, electrical parts and similar jobs are quickly done with Gray-Bonney Miniature Wrenches. The No. 20 Set contains one each of Nos. H10, H12, H14, H16 and H18 listed below. They are made of ZENEL, have panelled handles and are chrome plated. In leatherette roll.

No. 21LR Extra Small Box Wrench Set



Ideal for work on radios, ignition systems, generators, starters, heaters, etc. E40 and E42 have single hexagon openings; E44 and E46 have double hexagon openings.

No. 21LR Set, 1 each of above 4 Wrenches in a leatherette roll.

Extra Small Box Wrenches

No.	Openings		Length
	Single Hexagon	Double Hexagon	
E40	3/16" & 13/64"		2 7/8"
E42	7/32" & 15/61"		3-1/8"
E44	1/4" & 9/32"		3-3/8"
E46	5/16" & 11/32"		3-3/4"

Zenel Miniature Wrenches

No.	Openings Milled		Length	Thick. Heads
	Single Hexagon	Double Hexagon		
H10	3/16" & 7/32"		2 1/2"	3/32"
H12	1/4" & 9/32"		3"	5/32"
H14	5/16" & 11/32"		3-3/4"	3/16"
H16	3/8" & 7/16"		4-1/8"	7/32"
H18	13/32" & 15/32"		4 1/8"	7/32"

The Finest That  Money Can Buy

GRAY-BONNEY BOX WRENCHES AND SETS

CHROME VANADIUM STEEL

No. 2311 Box Wrench Set

3/8" to 7/8"



The 2300 (Long) Series Box Wrenches, having one end straight and one offset, are used to good advantage when tightening the manifolds or servicing hard-to-get-at nuts. They are time savers for the motor mechanic.

No. 2311LR.—2300 Series Box Wrench Set contains one each of the 2300 Series Long and Short Wrenches listed below. Supplied in leatherette roll as illustrated.

No. 2307LR.—This set includes one each of the seven Long Type 2300 Series Box Wrenches listed below. Supplied in leatherette roll as illustrated.

Long Type Box Wrenches

2300 Series		
No.	Double Hexagon Openings	Length
2316	1/2"	9"
2318	9/16"	9-1/2"
2320	5/8"	10"
2322	11/16"	11"
2324	3/4"	11-1/2"
2326	13/16"	12"
2328	7/8"	12-3/4"

Short Type Box Wrenches



2300 Series		
No.	Double Hexagon Openings	Length
2384	3/8" & 7/16"	5-1/8"
2386	1/2" & 9/16"	5-1/2"
2387	9/16" & 5/8"	5-3/4"
2388	5/8" & 3/4"	8-1/2"

Tu-Type Wrench Sets

TU7 and TU9



This type of wrench is very popular where speed is required. The box end is handy to loosen tight nuts and get in around manifolds and carburetors. The open end is used for faster turning. Forged from Chrome-Vanadium Steel. Sizes 3/8" to 1" polished and chrome plated; larger sizes satin plated.

No. TU7—This set contains seven wrenches, Nos. 3114 to 3128 providing openings from 3/8" to 7/8". Supplied in leatherette roll.

No. TU9—Contains nine wrenches including the seven supplied in the TU7 set plus Nos. 3112 and 3132. Contained in leatherette roll.

Tu-Type Wrenches

No.	Openings	Length	No.	Openings	Length
3112	3/8"	5"	3128	7/8"	10-1/2"
3114	7/16"	5-3/8"	3129	29/32"	13-1/2"
3116	1/2"	6"	3130	15/16"	13-1/2"
3118	9/16"	6-3/4"	3132	1"	13-1/2"
3120	5/8"	7-3/4"	3131	1-1/16"	14-3/4"
3122	11/16"	8-3/8"	3136	1-1/8"	14-3/4"
3124	3/4"	9-1/2"	3140	1-1/4"	16-1/4"

Short Type Box Wrenches



This series of Short Box Wrenches will appeal very strongly to the mechanic who enjoys using fine tools. They are drop forged from high grade alloy, and are brightly polished all over. The heads are thin and cleanly broached and will give the utmost in service under all conditions.

No.	Double Hexagon Openings	Length
276	3/8" x 7/16"	4-1/2"
277	1/2" x 9/16"	5-1/4"
278	5/8" x 11/16"	6"
279	3/4" x 13/16"	6-1/4"

No. 270LR.—Set of the above four Short Box Wrenches in leatherette roll.

GRAY-BONNEY BOX WRENCHES AND SETS

CHROME VANADIUM STEEL

No. DO 6 Double Offset Set
3/8" to 1"



The No. DO6 set contains one each of Nos. 2804L, 2805L, 2807A, 2808, 2809B and 2810 listed below.

Double Offset Box Wrenches

45° Angle

The long, smooth, round handles will give plenty of leverage to loosen the toughest nuts. These wrenches have a deep offset to clear obstructions and give plenty of finger room.

No.	Double Hexagon Openings	Length
2804L	3/8" & 7/16"	8 9/16"
2801C	7/16" & 1/2"	8-1/2"
2805L	1/2" & 9/16"	9"
2807A	5/8" & 11/16"	11"
2807	5/8" & 3/4"	11"
2808	3/4" & 7/8"	11-1/2"
2809B	25/32" & 13/16"	12"
2809	7/8" & 15/16"	12-1/2"
2810	15/16" & 1"	13-1/2"

INDUSTRIAL SIZES

2811B	15/16" & 1-1/16"	14-1/2"
2811	1" & 1-1/8"	14-1/2"
*2811E	7/8" & 1-1/16"	14-1/2"
*2812B	1 1/16" & 1-1/4"	17"
*2812C	1-1/8" & 1-1/4"	17"
2812	1 1/4" & 1-3/8"	17"
*2812A	1-1/4" & 1-7/16"	19-5/8"
2812E	1 5/16" & 1 1/2"	19-5/8"
2813	1-7/16" & 1-5/8"	19-5/8"
2813A	1-1/2" & 1 11/16"	19-5/8"
2815	1-13/16" & 2"	24"
2815B	1-7/8" & 2"	21"
2815A	2" & 2-3/8"	26"
2819	2-3/16" & 2-3/8"	26"
2821	2-9/16" & 2-3/4"	28"

*Will discontinue when stocks depleted.

No. 15 Box Wrench Set
3/8" to 1-1/16"



No. 15 Box Wrench Set contains one each of the following wrenches: Nos. 2890, 2891, 2892, 2893, 2894, and 2895. In leatherette roll as illustrated.

15 Deg. Angle Box Wrenches

The No. 2890 Series Box Wrenches are for work with low overhead clearance. Heads are at angles of from 10 degrees to 15 degrees, depending on the length of the wrench. All have double hexagon openings and are chrome-plated with polished heads. Chrome Vanadium Steel.

No.	Double Hexagon Openings	Length
2890	3/8" & 7/16"	7-5/8"
2891	1/2" & 9/16"	8-5/8"
2892	5/8" & 11/16"	9-5/8"
2892A	5/8" & 3/4"	9-5/8"
2893A	3/4" & 25/32"	11"
2893	3/4" & 13/16"	11"
2894A	13/16" & 7/8"	13 1/4"
2894	7/8" & 15/16"	13-1/4"
2895A	15/16" & 1"	15 1/2"
2895	1" & 1-1/18"	15-1/2"
2896	1-1/8" & 1-3/8"	17"
2897	1-1/4" & 1-7/16"	17"

GRAY-BONNEY TAPPET WRENCHES

MANIFOLD AND CASTOR-CAMBER

Standard Tappet Wrench Sets



Gray-Bonney Tappet Wrench Sets are arranged to give the mechanic a selection of the most used wrenches in a compact leatherette roll.

No. 6T Set consists of 6 Chrome-Vanadium Tappet Wrenches, 2 each Nos. 122A, 124A and 124B, covering openings 7/16" & 1/2", 9/16" & 5/8", 11/16" & 3/4". In leatherette roll as illustrated.

No. 4T Set consists of 4 Wrenches, 2 each Nos. 122 and 124, covering sizes 1/2", 9/16", 5/8" and 11/16". In leatherette roll.

Standard Tappet Wrenches

No.	Size Openings	Length	Thickness Heads
122A	7/16" & 1/2"	8"	5/32"
122B	17/32" & 21/32"	8"	5/32"
122	1/2" & 9/16"	8"	5/32"
124A	9/16" & 5/8"	8-1/2"	3/16"
124	5/8" & 11/16"	8-1/2"	3/16"
121B	11/16" & 3/4"	8-1/2"	3/16"
126	3/4" & 7/8"	9"	7/32"
428	15/16" & 1"	9-1/2"	7/32"


Extra Long Tappet Wrenches



No.	Size Openings	Length	Thickness Heads
L401A	7/16"	15"	3/16"
L402	1/2"	15"	3/16"
L403	9/16"	15"	3/16"
L404	5/8"	15"	3/16"

No. 2883

Manifold Wrench for Chrysler



A special tool of Chrome-Vanadium Steel designed for use on the manifold nuts of Chrysler-made cars. This tool is chrome plated with heads buffed to a high and permanent lustre. The double hex openings are 5/8" and 9/16". Length 9".

No. 2319

Starter and Manifold Wrench



Starter and manifold work on Chevrolet and other cars is simplified by this wrench. The double hex openings are 9/16" and 5/8". Length 7-3/4".

No. 2884

Starter and Manifold Wrench



This is a very popular tool for use on the starter and manifold nuts of many late model cars. The double hex openings are 9/16" and 3/4". The length is 7-1/2".

No. 2586

Carburetor Wrench



A special tool for adjusting Ford V 8 Carburetor Jets. It is an accurate tool for the precision adjustments required. Made from Chrome-Vanadium Steel but not guaranteed.

Castor-Camber Crowfoot Type 1/2 Square Drive Wrenches




These 1/2 inch square drive attachments fit between arms on either side of the adjusting nut, eliminating need for removal of arms in order to obtain clearance to adjust camber and castor.

No.	Opening	Application
1203	1-3/16"	Meteor and Ford (also use 1205)
1205	1-5/16"	Monarch, Mercury, Meteor, Ford
1207	1-7/16"	Chrysler Cars, 1941-49, except 7 pass. models
1209	1-1/2"	Chrysler 7 pass., Saratoga and New Yorker

GRAY-BONNEY ADJUSTABLE AND HEAD SCREW WRENCHES


Dreadnaught Adjustable Wrenches



These Adjustable Wrenches are drop forged from special analysis tool steel. Fully tempered and heat treated, with polished heads and nickel plating.

No.	Size	Max. Opening	Std. Box Quantity	Weight: Box of 6
DAW6	6"	3 3/4"	6	2 1/2 lbs.
DAW8	8"	5 1/16"	6	4 "
DAW10	10"	7 1/8"	6	7 "
DAW12	12"	9 1/16"	6	11 "

Gray-Alloy Adjustable Wrenches



The Gray-Alloy light weight Adjustable Wrench is forged from high-grade alloy steel. It is thinner and lighter, yet much stronger than the standard pattern.

No.	Size	Max. Opening
GA6	6"	3 1/4"
GA8	8"	5 1/16"
GA10	10"	7 1/8"
GA12	12"	9 1/16"
GA15	15"	11 1/16"
GA18	18"	13 1/16"

Pipe Wrenches Straight Pattern

No.	Size	Gripe Pipe
NSP6	6"	1 3/8" to 3 1/4"
NSP8	8"	1 3/8" to 1"
NSP10	10"	1 3/8" to 1 1/2"
NSP14	14"	1 3/8" to 2"
NSP18	18"	1 3/8" to 2 1/2"
NSP24	24"	1 3/8" to 3"
NSP36	36"	1 3/8" to 4 1/2"
NSP48	48"	1 3/8" to 6"



These Pipe Wrenches have long been famous for their remarkable durability under hard usage. They are drop forged from specially selected steel and carefully heat treated. The unbreakable housing and free-moving nut are features that will be appreciated by all good mechanics.

TW Series 3/8" Sq. Drive Head Screw Wrenches

The TW Set contains one each of the following

Tool No.	Size Hex. Bit	Size Drive	For Set Screw	For Cap. Screw
TW4	1/8"	3/8"	1/4"	#8
TW5	5/32"	3/8"	5/16"	#10 & #12
TW6	3/16"	3/8"	3/8"	3/4"
TW7	7/32"	3/8"	7/16"	5/16"
TW8	1/4"	3/8"	1/2"	
TW10	5/16"	3/8"	3/8"	3/8" & 7/16"
TW12	3/8"	3/8"	3/4"	1/2"

W2 1/2 Fits Allen Set Screw on all above wrenches



These wrenches, made with replaceable bits, cover all the popular sizes of set screws and cap screws. The TW set contains one each of the listed wrenches.

Packed in metal box 4 1/2 x 2 x 3/4"

Head Screw Wrenches

No.	Hex. Across Flats	No.	Hex. Across Flats
W1	5/16"	W8	1 1/4"
W2	1/16"	W10	5 1/16"
W3	5/64"	W12	3 3/8"
W4	3/32"	W16	1 1/2"
W5	5/32"	W18	9 1/16"
W6	3/16"	W20	5 5/8"
W7	7/32"	W24	3 1/4"



These wrenches are practically indispensable in modern shops. All late model motors are using hollow head cap screws and set screws on which these wrenches must be used.

WILLR Set of 11 Head Screw Wrenches W1 to W12 inclusive in leatherette roll.

BUSHING DRIVERS AND EXPANSION REAMERS

Bushing Driver Set No. BU40



This Bushing Driver Set is designed to drive all passenger car bushings and many truck and tractor bushings.

These tools are made of alloy steel carefully hardened and tempered to give the best of service.

Guaranteed against defects in workmanship and materials.

Packed in a metal box 7-4/8" long; 4-1/8" wide; 1" high.

Set includes

	Bushing I.D.	Drive O.D.	Fits Handle No.
40-1 Driver	13/32	7/16	42-1, 42-2
40-2 Driver	7/16	1/2	42-1, 42-2
40-3 Driver	1/2	9/16	42-1, 42-2
40-4 Driver	1/2	5/8	42-1, 42-2
40-5 Driver	9/16	5/8	42-1, 42-2
40-6 Driver	9/16	11/16	42-1, 42-2
40-7 Driver	{39/64 5/8	{43/64 11/16	42-1, 42-2
40-8 Driver	5/8	3/4	42-1, 42-2
40-9 Driver	11/16	13/16	42-1, 42-2
41-1 Driver	{47/64 3/4	{55/64 7/8	42-3
41-2 Driver	13/16	15/16	42-3
41-3 Driver	{55/64 7/8	{63/64 1	42-3
41-4 Driver	15/16	1-1/16	42-3
41-5 Driver	1-1/16	1-1/8	42-3
41-6 Driver	1-1/16	1-3/16	42-3
41-7 Driver	1-1/8	1-1/4	42-3
41-8 Driver	1-1/4	1-3/8	42-3
42-1 Handle	7/16 Dia. x 5" Long		
42-2 Handle	5/8 Dia. x 6" Long		
42-3 Handle	3/4 Dia. x 7 3/8" Long		
43-1 Nut	fits 42-1 & 42-2		
43-2 Nut	fits 42-3		
40-7 will drive Chevrolet Six Water Pump Bushing.			
41-1 will drive Chevrolet Six King Bolt Bushing.			
41-3 will drive Chevrolet Six King Bolt Bushing. (Knee action car.)			

Expansion Type Reamers and Pilots

Improved Design — 50% Faster



Individual Reamer Specifications

No.	Size	Length Overall		No. of Blades
		Reamer	Blades	
8A	1/4" to 9/32"	3-1/2"	1-5/8"	1
7A	9/32" to 5/16"	3-3/4"	1-5/8"	4
6A	5/16" to 11/32"	4"	1-5/8"	1
5A	11/32" to 3/8"	4-1/4"	1-7/8"	4
4A	3/8" to 13/32"	4-1/2"	1-7/8"	1
3A	13/32" to 7/16"	4-3/4"	1-7/8"	6
2A	7/16" to 15/32"	5"	1-7/8"	6
A	15/32" to 17/32"	5-1/4"	2"	6
B	17/32" to 19/32"	5-3/4"	2"	6
C	19/32" to 21/32"	6-1/4"	2-1/4"	7
D	21/32" to 23/32"	6-3/4"	2-1/4"	7
E	23/32" to 25/32"	7-1/4"	2-1/2"	7
F	25/32" to 27/32"	7-3/4"	2-1/2"	7
G	27/32" to 15/16"	8-1/4"	3"	7
H	15/16" to 1 1/16"	8-3/4"	3"	7
I	1-1/16" to 1-3/16"	10"	3-1/2"	7
J	1-3/16" to 1 11/32"	11"	3 1/2"	7
K	1-11/32" to 1-17/32"	12"	4"	7
L	1-17/32" to 1 25/32"	13"	4"	7
M	1-25/32" to 2-7/32"	15"	5-1/4"	7
N	2-7/32" to 2 3/4"	17"	5 3/4"	7
O	2-3/4" to 3-11/32"	19"	6-1/2"	7

NOTE—When ordering pilots only, simply specify the reamer size. Shanks used for reamers 8A to 2A.

The improved design of these expansion type reamers is a very definite improvement over the old type. The staggered or unevenly spaced blades set at the correct angle, together with the special retaining collars, eliminates chatter and doubles the life of the reamer. They are constructed so that pilots may be quickly and easily attached, thus doubling the utility of the reamer. The pilots may be purchased separately and will fit all Critchley type reamers.



Set No. L03 (with Pilots Attached)

No. L01 Set contains 8 reamers without pilots from 15/32" to 1-1/16" (sizes A-L) in wood box. As illustrated.

No. L03 Set contains the same reamers as L01 Set, but with pilots attached.

GRAY-BONNEY PULLERS, SCREW EXTRACTORS AND THREAD RESTORERS

Gear Pullers



This improved Gear Puller with special gripping feature, will handle all types of gears, pinions, etc., better than anything previously offered. The double end jaws are thin and shaped so that slipping is impossible. Light in weight, yet strong enough for the toughest job.

No. 1001 with 1/2" screw 6" long, and jaws having a spread of 6", by 3-1/2" in length, is ideal for small work.

No. 1002 is an "all purpose" tool which will handle a wide range of work. Jaws are 5-1/2" long, with a spread of 8". Screw is 9" long by 5/8" diameter.

No. 1003 is equipped with 9" jaws—spread 12". Screw is 12" long by 13/16" diameter.

"LonGrip" Screw Extractors



Rigidid "LonGrip" Extractors are positive in operation and easy to use. Simply drill the screw to be removed with the correct size drill (as shown below), deep enough so that the extractor will grip, use the corresponding extractor, and turn.

Set No. RE3 — Extractors Nos. 3, 4 and 5.

Set No. RE5 — Extractors Nos. 1, 2, 3, 4 and 5.

No.	Fits Screw	Use Drill	O.D.	Length	Depth
SE1	1/4"	1/8"	.139	2-5/16"	1"
SE2	5/16"	3/16"	.205	2 3/4"	1"
SE3	3/8"	1/4"	.272	3-1/16"	1"
SE4	7/16"	5/16"	.338	3-5/16"	1"
SE5	1/2-9/16"	11/32"	.374	3-3/4"	1"

Thread Restorers



Gray-Bonney Thread Restorers will save you much time and trouble when you have damaged threads to contend with. A few strokes across battered threads produce a true new thread—nut will then go on easily. Add a pair to your service kit.

No. TR1—has 8 thread sizes—11, 12, 13, 14, 16, 18, 20 and 24 threads to the inch.

No. TR2—has 8 thread sizes—9, 10, 15, 16, 20, 26, 28 and 32 threads to the inch.

No. 827 Universal Wheel Puller



The best, simplest, and sturdiest wheel puller ever developed. Has tremendous power, yet cannot bend or otherwise damage the wheel lugs.

With the three regular legs, shown above, it works perfectly on over 98% of all makes of cars.

The screw has very fine threads, which give it an extremely powerful leverage. In addition, the puller is equipped with a sliding bearing through which the driving screw rides. This feature makes it possible for the operator to attach the puller to the studs, then draw the screw tightly against the axle and with a light blow of a hammer, remove the most stubborn hub. Extends to include 8 inch bolt circle.

Another feature is the floating cap on the screw end. This centers on the axle, avoiding injury to either axle or puller.

The driving end is forged with a hexagon head which firmly holds the driving handle. The handle driving bar can be eliminated if it is desired to turn the screw up with an ordinary socket or open end wrench.

No. 827L—Extra Leg for Above

No. 827H Handle



Designed especially for No. 827 Wheel Puller. Drop forged and heat treated.


No. 827V Wheel Puller Adaptor



This adaptor will work on all Ford V-8 hubs from 1936 to date. Engage two of the puller arms in the bolts and slide the adaptor over the hub groove. Apply pressure by means of the pressure screw, and a straight steady pull will result.

GRAY-BONNEY VALVE TOOLS

No. CF49 Stubby Type Valve Lifter



The little stubby has many outstanding features to make it the most popular universal valve lifter on the market to-day. It will service any "L" Head motor having the cylinders in one line and straight stemmed valves. It is so small that it gets in all the tight corners with ease. It has no catches to wear and slip; no pinching of fingers, etc. Not necessary to remove manifolds when you use a Gray-Bonney stubby.

No. CF4 Valve Spring Compressor

Small Series




Serves all Chevrolet and many low horse-power motors including some of British origin. Also well adapted to many L head motors when manifolds are removed. Heavy bar-steel with adjustable jaws, oil tempered. Screw adjustment for plunger depth. Safety over-center lock allows both hands free when spring is raised. Throat $4\frac{3}{4}$ " x $6\frac{1}{4}$ ".

No. CF2 Split Lock Replacer



The No. CF2 is just the tool for replacing all types of split keys on hard-to-get-at motors—Chrysler, Dodge, DeSoto, Plymouth, Studebaker, Oldsmobile and all late model cars. The sliding case prevents the keys from dropping into the motor. Simple to load; easy to operate; much safer than grease.

No. CF3 Little Wonder Valve Spring Compressor



This popular type of valve lifter is a necessity in every garage. It is large enough to clear the manifold, thereby saving valuable time. The improved rack and pinion mechanism will lock securely at any desired point, and the thin jaws will fit into any coil so that the spring can be compressed and the pin removed. The re-compression device makes it easy to compress springs before replacement. This lifter will service both "L" Head and valve in head motors. It comes complete with three different sized compression jaws LW3 (for replacing spring in motor) and one pair of straight standard jaws, LW4 as illustrated.

Extra Parts

- No. LW1—Offset G.M.C. and Continental Jaws (pair)
- No. LW2—Special Plymouth and Dodge Jaws (pair)
- No. LW3—Extra Spring Clips (set of three).
- No. LW4—Straight Standard Jaws (pair).

No. FT57 V-8 Universal Valve Lifter

To Fit All Models



A Ford Valve Lifter especially designed to fit all models. The double end feature is a definite improvement over the old type and eliminates the necessity of buying two tools. Drop forged from alloy steel and 27" long. Not guaranteed against breakage.

GRAY-BONNEY PISTON AND SPECIAL TOOLS

Piston Ring Compressors



These improved ring compressors are a definite improvement over anything previously offered. The self locking pawl will hold the compression band at any point, and in addition a double tension band is provided. This band of high grade spring steel will reduce breakage to a minimum, and will eliminate flare out at the bottom of the compressor. The handle

is made of $1\frac{1}{4}$ " stock and can easily be replaced if lost. The beaded edge will prevent the compressor from entering the cylinder. These tools are made in four sizes, as follows:

No. RC1 for cars $2\frac{1}{2}$ " to 5"—Non-locking.

No. RC2 for cars $2\frac{1}{2}$ " to 5".

No. RC3 for trucks and Diesel engines with range of $3\frac{1}{2}$ " to 7".

No. RC4 same as RC3 but $6\frac{1}{4}$ " in height with four tension bands.



A handy and practical tool which should be in every garage. The cutter can be instantly adjusted to the desired size of $3/32$ ", $1/8$ ", $5/32$ " or $3/16$ ", and will handle pistons from the smallest to 6" C.D. Where a groove has to be deepened for the installation of inner rings this tool is ideal.

Shop Knife




For cutting shims, gaskets, packing, top and upholstery materials, this Knife is unsurpassed. Five razor edge blades fit inside the handle, and a new one can be inserted in an instant.

No. 199 Die Cast Aluminum Handle, Complete With Blades.

Extra Blades are available for these Knives in packages of five.

Universal Cylinder Ridge Reamer

No. L0173



This ridge reamer removes the unworn ridge from the cylinders of all cars with bores from $2\frac{1}{8}$ " to $4\frac{3}{8}$ ". The supporting lugs are mounted on the blades and expand with them. This eliminates the necessity of removing studs. For cars with recessed heads the lugs are replaced by small plates and the tool rests on the top of the piston while reaming.

No. L0173 Set, as illustrated, contains one set of three blades with lugs to ream $2\frac{1}{8}$ " to $3\frac{3}{4}$ ", one set of three blades with lugs to ream $3\frac{3}{4}$ " to $4\frac{3}{8}$ ", one set of three plates and one operating knob, in metal box.


No. 839 Carbon Scraper



Made from spring steel wire to assure long life and flexibility. Permits scraping uneven contours on cylinder head blocks.

Clutch Alignment Set No. CA41

This is a complete set that will handle the clutches of nearly all cars. The assortment of pilots included in each set results in one tool that will



give quick, accurate clutch alignment. Supplied in a metal box $16\frac{1}{2}$ " x $1\frac{1}{2}$ " x $1\frac{1}{4}$ ". Net weight approximately 5 lbs.

GRAY-BONNEY BRAKE TOOLS

Nos. 2566 and 2566A Brake Tools

For making brake adjustments on cars equipped with Bendix brakes. Forged from alloy steel.

No. 2566 has $\frac{1}{2}$ " blades, is $7\frac{1}{2}$ " long.

No. 2566A has $\frac{1}{2}$ " blades with one straight end, is 8" long.

No. 2599 Hydraulic Brake Wrench

Designed especially for adjustments on Bendix and other hydraulic brakes. The curved blade is for the "Star Wheel" brake adjustments, while the open end is for adjusting the eccentric nut on all Bendix Two Shoe brakes. Drop-forged of alloy steel, chrome plated. Blade is $\frac{3}{4}$ " wide. Open end has $\frac{1}{4}$ " opening. Overall length $9\frac{3}{4}$ ".

No. 2357D Ford Brake Wrench

For making adjustments on brakes on Ford cars and trucks. Has double square openings in $\frac{7}{16}$ " and $\frac{1}{2}$ " sizes. Drop-forged of alloy steel and chrome plated. Length $10\frac{3}{4}$ ".

No. 2629 Brake Wrench

For Chrysler Built Cars

This single head drop-forged alloy steel hex end wrench has a double hexagon opening of $1-1/16$ ". It is designed especially for making brake adjustments on Plymouth, Dodge, DeSoto and Chrysler cars.

No. 2612 and 2618 Brake Tools

For Removing Brake Line Flare Nuts

Slotted box wrenches for use when removing or installing brake line flare nuts. Drop-forged of alloy steel and chrome plated.

No. 2612 has $3/8$ " and $1/2$ " openings required for servicing Ford, Mercury, Monarch and Lincoln.

No. 2618 has openings of $7/16$ " and $9/16$ " for use on most other hydraulic brake systems.

No. 51 Brake Set

This is a very practical set of Specialized Tools for use in servicing automotive brakes.



This kit contains the six most often required Specialized Brake Service Tools. The types provided will enable the mechanic to service brakes on practically all makes and models of cars and trucks.

Contents include one each:

Nos. 2566 Bendix brake tool.

" 2566A " " "

" 2599 " " "

" 2357D Ford " "

" 2680 Brake spring plier.

" K50 Brake feeler gauge.

Supplied in a strong leatherette tool roll with a pocket for each tool as illustrated above.

GRAY-BONNEY BRAKE TOOLS

No. L0925 Hydraulic Brake Cylinder Hone

Simple but sturdy construction makes it easy and inexpensive to operate and assures long, satisfactory service.

Each of the two small bodies has one set of three blade slots. The one body has shallow slots and the other has slots $1/32"$ deeper. One set of blades expands $1/16$ of an inch in each set of slots or, moving them from one set of slots to another gives $1/8$ of an inch expansion; using the three sets of blades in this manner gives $3/16$ of an inch expansion in each of the small bodies, and $3/8$ of an inch expansion in the medium and large bodies so that the set illustrated with the four bodies has a range of from $3/4"$ to $1-7/8"$ which covers most pleasure cars and trucks.



No. L0925—Range $3/4"$ to $1-7/8"$, contains four bodies, three sets of three blades (small, medium and large), with abrasives mounted, eighteen extra abrasives (nine coarse and nine fine). Special 1" cup screw to be used on medium size body when honing step bore cylinders and flexible driving shaft adaptable to $1/4"$ or $1/2"$ electric drill, put up in neat metal box.

Individual parts for L0925 set:

L0899C—Coarse hone abrasives (1 dozen).

L0899F—Fine hone abrasives (1 dozen).

L0920—Flexible driving shaft.

No. 531 Brake Spring Compressor



Place tapered end of tool on steel cup, then place index finger of other hand on head of pin located on rear of back-up plate. Push in on tool until arrow head of pin is uncovered. Make one quarter turn—release pressure and the cup comes off the spring. Fits all regular and flat cups.

No. 2680 Brake Spring Plier



An unusually efficient brake spring plier designed especially for the removal and replacement of internal brake springs on all types and sizes of cars and trucks. Size 13".

No. 525 Brake Spring Plier



An extra slim, light brake plier which will work well on all passenger cars and light trucks. Not guaranteed. Size 13".

No. 530 "C" Washer Brake Pliers



This special tool is for removing, installing and crimping hydraulic brake "C" lock washers. The most stubborn "C" lock washer can be easily removed with the tool. Size $7\frac{1}{4}"$.

No. B21 Lock Ring Pliers



Designed especially to spread the snap lock rings and horse shoe type of brake key in order to remove them from brakes, transmissions, pedal, clutch and fan pulley shafts when removing them from assembly. Drop forged of chrome alloy steel. Outside of jaws are toothed to prevent any possibility of slipping. Plier will spread any lock ring washer up to $1\frac{1}{4}"$ diameter. Size 8".

GRAY-BONNEY AUTOMOTIVE PLIERS



No. 513 Mechanics Slip Joint Side Cutting Pliers

Forged from Chrome-Vanadium Steel, hardened and tempered, this plier is designed for hard usage. The sharp cutting side knives are ground to assure their longer life. The well designed head has a flash rivet on one side. Polished head and fully chrome plated.

Size..... 7"



No. B16 General Purpose Slip Joint Side Cutting Pliers

A well balanced medium priced Plier. It provides strong gripping power and has excellent side cutter knives. Forged from Chrome-Vanadium Steel with knurled handles, polished and fully finished in lustrous chrome.

Size..... 6"



Nos. B6 and B8 Combination Pliers

These General Purpose Slip Joint Pliers are sturdily built for general service. They are drop forged, heat treated and nickel plated. Available in the two following popular sizes.

B6 Size..... 6"

B8—Size..... 8"



No. 82B Heavy Duty Slip Joint Pliers

Here is a good alloy steel long service Slip Joint Plier with notch type cutter. All mechanics should own a pair of these long heavy duty pliers.

Size..... 10"



No. 523 45° Thin Angle Noso Slip Joint Gripping Pliers

A powerful Gripping Plier with teeth set as in a pipe wrench that will not slip on a smooth round surface. This tool is for gripping frozen nuts or bolts and odd shaped objects. There are three different opening adjustments and the jaws open to take up to one inch. The angle nose gets into those "hard-to-get-at" places. Drop forged of high grade alloy steel, polished head and chrome plated.

Size..... 7"



No. 522 Angle Nose Battery Pliers

The handiest drop forged alloy steel plier ever designed for use when loosening or tightening the terminal nuts or battery cables. Polished head and fully finished in chrome.

Size..... 7½"



No. 258 Water Pump and Electricians' Lock Nut Pliers

This quality multi-use drop forged alloy steel Plier is for use on adjustable packing and lock nuts. It has a positive grip action with six different opening adjustments. Maximum opening two inches. Polished head and fully chrome plated.

Size..... 9½"



No. 833 Body Trimmers' Pliers

This body trimmers' Hog Ring Plier is used for closing the prongs of metal lock rings used on body hardware and other installations requiring use of locking rings.

Size..... 8"

GRAY-BONNY AUTOMOTIVE PLIERS

No. 517 Slip Joint Ignition Pliers

This delicate Ignition Plier is designed for use on all ignition units and on other equipment where small nuts and bolts are encountered. Drop forged from Chrome-Vanadium Steel, the head is correctly designed providing three opening adjustments. It is spring tempered and fully chrome plated. Not Guaranteed.

Size.....4 1/4"



No. B17 Diagonal Cutting Pliers

A high grade medium size Diagonal Cutting Plier with accurately ground cutter jaws. Drop forged from Chrome-Vanadium Steel, polished head and fully chrome plated. A sure cutter and a real cotter key puller.

Size.....6"



No. B18 Heavy Duty Diagonal Cutting Pliers

This high leverage Diagonal Cutter Plier is for heavy duty service. The accurately ground cutting edges assure easy cutting. Drop forged of Chrome-Vanadium Steel, polished head and finished in chrome.

Size.....7"



No. 41-4 Diagonal Cutting Pliers

Drop forged of the finest quality alloy steel, this four inch Electrician's Diagonal Cutting Plier is a practical addition to any tool kit.

Size.....4"



No. 39 Diagonal Cutting Pliers

Drop forged of fine alloy steel, this plier has hand-honed cutter knives that cut clear and will stand up. Designed to give great leverage in cutting as well as pulling cotter keys.

Size.....7"



No. 654 Long Nose Side Cutting Pliers

This is a long, fine, spring tempered nose, side cutting Plier, drop forged from alloy steel and carefully heat treated. The long nose of this plier will reach into tight places inaccessible with any other plier, and the keen edged cutter will cut practically any wire found in automotive work except the heavier ignition wires and battery cables.

Size.....6"



Nos. B22 - B23 Lineman's Pliers

General utility standard Cutting Pliers for linemen and other electricians. Drop forged from alloy steel and carefully heat treated. Available in two sizes.

B22—Size.....6"

B23—Size.....8"



No. B30 Duck Bill Pliers


This is a very practical Plier for use when working on equipment where little operating space is available. The long leverage grips provide for powerful leverage. Ideal for use when working on carburetors, ignition or similar units.

Size.....8"



GRAY-BONNEY PUNCH AND CHISEL SETS

No. C46 Chisel and Punch Set



Set No. C46 contains a compact assortment of nine Chisels and four Punches to serve everyday needs. Content includes: Flat Chisels Nos. C2, C3, C4, C5, C6; Cape Chisels Nos. C12, C13; Diamond Point Chisels Nos. C15, C16; Pin Punches Nos. C28, C29, C30; Center Punch No. C34. Every piece is forged from high quality alloy steel and properly heat treated. The heads and working bits are full finished with shafts in baked blue enamel.

Set No. C46-CB—In cardboard box.
Set No. C46-LR—In leatherette roll.


No. C47 Chisel and Punch Set



Set No. C47 is for the man requiring a complete set of Chisels and Punches. It contains thirteen Chisels, ten Punches, a Rivet Buster and a Pinch or Pry Bar. Content includes: Flat Chisels Nos. C2, C3, C4, C5, C6, C7; Cape Chisels Nos. C12, C13; Long Flat Chisel No. C10; Diamond Point Chisels Nos. C15, C16; Round Nose Chisels Nos. C18, C19; Long Taper Punches Nos. C25, C26; Prick Punch No. C32; Solid Punches Nos. C21, C22, C23; Pin Punches Nos. C28, C29, C30; Center Punch No. C34; Rivet Buster No. C36 and Pry or Pinch Bar No. C38. Every piece is forged from high quality alloy steel and properly heat treated. Full finished heads and working bits with shafts in baked blue enamel.

Set No. C47-CB—In cardboard box.
Set No. C47-LR—In leatherette roll.

No. C45 Flat Chisel Set



This set of Gray-Bonney Flat Chisels completely covers the range required in everyday service work. It contains the following Flat Chisels: Nos. C2, C3, C4, C5, and C6, having cutting blade widths of 1/2", 5/8", 3/4", 7/8", and 1". All are forged from the highest quality alloy steel of a specification most suitable for this type of tool. They are properly heat treated to assure hard, tough cutting ability. Their octagon baked blue enamel shafts offer an easy, secure grip. Cutting blades and striking heads are full finished.

Set No. C45-CB—In cardboard box.
Set No. C45-LR—In leatherette roll.

No. PC39 Dealer's Merchandiser



Here is an ideal Punch and Chisel counter type Merchandiser. It contains the most popular tools of this type. It was created on popular demand as an aid to sales and service. The unit is constructed with a red masonite back panel mounted on a varnished maple base bearing part numbers. This Merchandiser complete with tools is contained in a strong shipping carton. Content includes: two each Pin Punches Nos. C28, C29, C30; two each Long Taper Punches Nos. C25, C26; Two each Solid Punches Nos. C21, C22, C23; two Prick Punches No. C32; four Center Punches No. C34; three each Flat Chisels Nos. C2, C3; two Flat Chisels No. C4; one each Flat Chisels Nos. C5, C6; two each Cape Chisels Nos. C12, C13; two Round Nose Chisels No. C18; one Round Nose Chisel No. C19.

GRAY-BONNEY PUNCHES AND CHISELS

Chisels, Punches and similar hand tools are naturally subjected to very severe service. Gray-Bonney has spared no effort to meet these conditions and to offer the best in these types of tools. All are forged of special alloy steel and are carefully heat treated. Mechanics find that the bits are hard and tough enough to work on any untempered material, but still sufficiently soft to be resharpened with a file. They have well crowned comparatively soft heads, which reduce chipping and allow them to be readily redressed when battered. Blades, tips and heads full polished, handles finished in baked blue enamel.




PIN PUNCHES

No.	Size Stock	Point Diameter	Length
C28	3/8"	1/8"	5"
C29	1/2"	3/16"	5-5/8"
C30	5/8"	1/4"	6-2/8"



LONG TAPER PUNCHES

No.	Size Stock	Point Diameter	Length
C25	3/8"	3/32"	8"
C26	1/2"	3/16"	9"




SOLID PUNCHES

No.	Size Stock	Point Diameter	Length
C21	3/8"	1/16"	5-1/2"
C22	1/2"	3/32"	6-1/4"
C23	5/8"	1/8"	7"




PRICK PUNCH

No.	Size Stock	Length
C32	3/8"	5"



CENTRE PUNCH


No.	Size Stock	Length
C34	3/8"	5"



PRY OR PINCH BAR

No.	Size Stock	Length
C38	5/8"	16"

Lining-Up Punches (Silico-Manganese Steel)




FLAT CHISELS

No.	Size Stock	Width of Cut	Length
C2	3/8"	1/2"	5 1/2"
C3	1/2"	3/8"	6"
C4	5/8"	3/4"	6-1/2"
C5	3/4"	7/8"	7 1/2"
C6	7/8"	1"	8"
C7	1"	1-1/4"	8-1/2"



LONG FLAT CHISEL

No.	Size Stock	Width of Cut	Length
C10	3/4"	7/8"	14"



CAPE CHISELS

No.	Size Stock	Width of Cut	Length
C12	1/2"	1/4"	6"
C13	5/8"	3/8"	7"




DIAMOND POINT CHISELS

No.	Size Stock	Width of Cut	Length
C15	1/2"	1/4"	6"
C16	5/8"	3/8"	7"



ROUND NOSE CHISELS

No.	Size Stock	Width of Cut	Length
C18	1/2"	1/4"	6"
C19	5/8"	3/8"	7"



RIVET BUSTER

No.	Size Stock	Width of Cut	Length
C36	2 1/4"	5/8"	12"

No. 8386—Lining-Up Punch, 5/8" stock, 5/16" point. Length, 15".

No. 8385—Lining-Up Punch, 3/4" stock, 5/16" point. Length, 18".

GRAY-BONNEY FEELER GAUGES

Gray-Bonney Feeler Gauges are made from the finest imported Swedish Steel, carefully Heat-Treated and Tempered to withstand wear. Each blade is tested to insure the exact thickness which is etched on it.



No. K50 Brake Adjusting Gauge

For measuring clearance between brake and shoe. 9 blades 4" long in the following thicknesses—.006; .008; .010; .012; .015; .018; .020; .022 and .032.



No. K51 General Purpose Gauge

Especially for tappet and ignition work—the most popular gauge on the market. 10 blades 1-1/2" long, 10 blades 3 5/8" long and 3" point file. Short blades in the following thicknesses—.012; .013; .014; .018; .020; .022; .024; .025; .028; .032. Long blades in following thicknesses—.002; .003; .004; .005; .006; .007; .008; .010; .013 and .015.



No. K52 Ignition Gauge

Contains 10 narrow blades 1-1/2" long for ignition distributor points and spark plugs. Thickness of blades included as follows—.012; .013; .014; .018; .020; .022; .025; .028; .032 and .035.



No. K53 Universal Master Gauge

Has full range of spacers—25 blades, each 3 5/8" long in following thicknesses—.0015; .002; .003; .004; .005; .006; .007; .008; .009; .010; .011; .012; .013; .014; .015; .016; .018; .020; .022; .024; .025; .028; .030; .032 and .035.



No. K54 Standard Feeler Gauge

Contains 10 blades 3-3/8" long in following sizes .002; .003; .004; .005; .006; .007; .008; .010; .012 and .015.

GRAY-BONNEY FEELER GAUGES

Gray-Bonney Feeler Gauges are made from the finest imported Swedish Steel, carefully Heat-Treated and Tempered to withstand wear. Each blade is tested to insure the exact thickness which is etched on it.

No. K55 Extra Long Feeler Gauge

Exceptionally useful for pistons, etc. Has 8 blades, each 9" long in the following sizes—.002; .003; .004; .005; .006; .008; .010; .015.



No. K57 Chevrolet Feeler Gauge

This Gauge, especially designed for the Chevrolet cars and trucks, has eight blades, an ignition file and 3-inch steel rule. It also includes: Float Level Gauge; Gauges for valve setting; Round Wire Stock Gauge for spark plug gaps. This is a tool every Chevrolet mechanic will find very convenient.



No. K58 Ford Feeler Gauge

For the service man that works on Ford cars and trucks. Each of the nine blades is marked with the thickness as well as the purpose for which it is to be used. Ends of blades have been carefully ground to provide for the accurate adjustments necessary to assure satisfactory operation of all Ford cars and trucks.



No. K59 Spark Plug Gap Gauge

This Gauge is designed specifically for use when adjusting spark plug gap settings. The feelers are of round wire gauge stock and permit very accurate settings.



No. K56 Single End Feeler Gauge

Positive Adjustable Lock Stock Holder.

Any thickness of feeler gauge stock coils within the handle and can readily be pulled out for use. Any desired length of strip stock or standard 12" blades may be used. Positive sliding lock securely holds blades. Made from hard drawn, cold rolled steel and satin nickel plated. Length, 4-1/2". Weight, 1 oz.



Feeler Gauge Stock

Made from the same high quality Swedish Steel as used in the Gray-Bonney Gauges. Supplied in handy 12" lengths, each marked as to size and wrapped in cellophane. 12 pieces to carton. Available in following sizes: .0015; .002; .003; .004; .005; .006; .008; .010; .012; .013; .015; .018; .020; .022; .024; .025 and .032.

GRAY-BONNEY BATTERY SERVICE TOOLS AND TINNERS' SNIPS

Straight Pattern



These snips are of excellent quality. They are made from a one-piece drop forging, precision ground and hand polished. The cutting edges are keen and will give long and satisfactory service.

No.	Length	Cut
507	7"	2"
510	10"	2-3/4"
512	12"	3-1/4"

Combination Circle Pattern



The combination circle pattern snip is an all-purpose snip. It will cut either right or left-hand direction. This extra slim snip is ideal for garage mechanics, as well as metal workers.

707	7"	1-7/8"
710	10"	2-3/4"
712	12"	3-1/8"

No. 840 Wire Scratch Brush



A good quality brush for removing dirt and grease and carbon.

No. 522 Angle Nose Battery Plier



The handiest plier ever designed for battery work. Chrome plated and 7-1/2" long.

No. 526 Round Nose Battery Plier



For those who prefer a Battery Plier with the round nose. Nickel plated and painted handles. 7-1/4" long.

No. 524 Battery Terminal Spreader



Spreads battery cable terminals. A great help when removing or installing battery cables. Heat treated nickel plated with painted handles. 7-3/8" long.

No. 6481 Battery Terminal Wrench



Double end box wrench with 9/16" and 5/8" double hexagon openings. Designed for servicing battery terminal nuts and bolts. 6" long.

No. 1000 Battery Terminal Puller

A sure grip miniature puller which will remove the most stubborn battery cable terminal. It is a real time saver when removing storage batteries.



GRAY-BONNEY SPECIAL SERVICE STATION TOOLS


Four Way Rim Wrenches



No. 308—Forged steel. Deep sockets, 5/8", 3/4", 13/16" and 7/8" openings. Arms 9/16" diameter and 16-1/2" long. Nickel plated and forged from Chrome Vanadium steel.

No. 309—Special 4-way rim wrench for trucks. See details given below.

Truck Rim Wrenches



The truck rim wrenches shown below will cover practically all wheel nuts on present day trucks.

1258	1-1/2" Hex. x 13/16" Sq.
7940	13/16" Sq. x 1-1/8" Hex.
7944	7/8" Hex. x 1 1/16" Hex.
7944A	7/8" Hex. x 1-3/16" Hex.
7944B	Cross Bar for 7944 only.
1258B	Cross Bar for other than 7944.
309	4-Way—1-3/16" Sq. x 7/8" Hex. x 1" Hex. x 1-1/16" Hex. x 1-3/16" Hex. x 1-1/2" Hex. Two of the arms incorporate double size openings thus providing six different socket sizes. Arms 1" Rd.; 25-1/2" long. Nickel plated.

No. 1258—Fits Ford, Dodge, Fargo and Budd wheels.

No. 7940—Fits Budd wheels.


No. 7944—Fits International, White.

No. 7944A—Fits G.M.C., Diamond T, Reo, Federal.

No. 309—A special 4-Way Universal Truck Wrench.

See above for size openings.

No. M6T Spoon Type Tire Iron



Straight pattern for trucks and passenger cars. Length 23".

No. M7T Spoon Type Tire Iron



Curved pattern for trucks and passenger cars. Length 23".

No. M5 Special Lock Ring Tool



For service on trucks with solid and split rings. Length 20". Not guaranteed.

No. PH19 Tire And Rim Hammer



Drop forged from high grade steel and carefully heat treated. This tire and rim hammer is specially designed for all types of work where such a tool is needed. Weight, 3 lbs. Length overall, 16".

No. HCl Hub Cap Remover



The new Hub Cap Removing Tool proves indispensable for servicing many of the late passenger cars and light truck models. Prevents chipping of lacquer and eliminates the possibility of damaging the popular accessory side walls. To operate simply place the blade under the hub cap lip and pull on the handle. Complete with rubber face pad and grip. This new tool will be a fast seller to the Dealer and Tire Trade. Overall length 15 1/2". Approx. weight 1 1/4 lbs.

No. 842 Drain Plug Wrench



A sturdy, well cast Wrench to service practically all cars. Nickel plated.

No. 2626 Drain Plug Wrench



Designed especially for removing and replacing the drain plug on 1939 Fords and Mercurys.

Has 2" double hexagon opening, head offset 26", 10-3/4" long. Made of Beralloy Steel, Chrome plated.

GRAY-BONNEY MISCELLANEOUS TOOLS

No. 2628 Adjustable Hack Saw Frame



A sturdily built hack saw frame with comfortable hard rubber pistol grip handle. Adjustable from 8" to 12". Full nickel finish.

High Speed Steel Hack Saw Blades

These HIGH SPEED blades are made from the finest steel obtainable, and will give the utmost in service under the most exacting conditions. Due to careful heat-treating they are extremely flexible, thus ensuring long life and protection against breakage.

No.	Width	Length	Gauge	Teeth per inch
HS1018	9/16"	10"	.025	18
HS1024	9/16"	10"	.025	24
HS1032	9/16"	10"	.025	32
HS1218	9/16"	12"	.025	18
HS1224	9/16"	12"	.025	24
HS1232	9/16"	12"	.025	32

Tungsten Alloy Steel Hack Saw Blades

An excellent alloy steel blade that will give good service under all conditions.

No.	Width	Length	Gauge	Teeth per inch
TA1018	1/2"	10"	.025	18
TA1024	1/2"	10"	.025	24
TA1032	1/2"	10"	.025	32
TA1218	1/2"	12"	.025	18
TA1224	1/2"	12"	.025	24
TA1232	1/2"	12"	.025	32


No. 70 Gasket Cutter Set



This set consists of seven circular socket type cutting knives complete with 4-1/4" lock-on drive shaft. These cutters will do a host of cutting operations. They are ideal for cutting holes or intricate patterns in gaskets, linoleum or rubber mats. Cutter sizes range from 7/32" to 1 1/2". All pieces are hardened and plated. Supplied in small wood box.

No. L0200 Honing Set

For Piston Pins and King Belt Bushings



No. L0200 Complete set as illustrated, consisting of 3 Hones with coarse abrasives mounted, 9 coarse refills (3 sets), one set of shims (3), and one set of burnishers (3), range 3/4" to 1.115". Each tool has 1/8" expansion, 1/16" with the blades resting solid in the grooves and 1/16" more with a set of shims under the blades.

No. L0201 Coarse abrasives (1 dozen).

No. L0201F—Fine abrasives (1 dozen).

No. L0202—Set of three burnishers.

No. L0203—Set of three shims.

Holding Tools


For starting screws, inserting and removing small washers, pins and similar objects, this tool is invaluable. The two spring steel fingers are forced open by pressure on the plunger. When



pressure is released, jaws grip object firmly. This tool is finished in attractive nickel plate, and will be a useful addition to any tool kit. For starting pan screws on Chevrolet, the No. K8 is unequalled.

No.	Reach	Length
K4	3"	5-3/4"
K6	6"	8-3/4"
K8	10"	12-3/4"

Magnetic Pick-Up Tools



Tool No.	Length
K 1	9"
K 2	27" extended

The larger tool (K2) has a telescope type extension handle. These extremely useful tools have a powerful magnet in the hinged end. They are designed for extracting metal objects from tight places and work equally well on screws, washers, nuts, bolts, taper pins, valve pins, etc.

GRAY-BONNEY SCREW DRIVERS

Square Shank

Gray-Bonney Square Shank Screw Drivers are made with forged one-piece blades, from special alloy steel, carefully heat treated over their entire length. The handles are of the popular transparent type, which combines toughness and durability with attractive appearance. Screw drivers in the square series are primarily designed for strength and are confidently recommended for heavy work. Blades are formed with an upset shoulder, against which the handles are forced, and the method of anchoring the shank eliminates the possibility of loose handles.

No.	Length of Blade	Width of Tip	Overall Length
S04	1"	3/16"	7-3/4"
S06	5"	7/16"	10-1/4"
S08	5"	1/2"	12-3/4"
S012	12"	1/2"	17-1/2"

Guarantee — Screwdrivers

Screwdriver blades are heat treated throughout; broken blades can be re-ground or returned to factory for re-grinding. We cannot accept responsibility for screwdrivers which have been abused.

Round Shank

Gray-Bonney Round Shank Screw Drivers are somewhat lighter than the square type, and are ideal for automotive mechanics. They are made with blades ranging from 4" to 12", and all tips are taper ground, with the entire length of the blades finely polished. The handles are made of moulded composition, and in addition to being extremely durable, are designed to give the user a secure yet comfortable grip. The blade is forged from alloy steel and carefully heat treated over its entire length.

These screw drivers are ideal for electrical work as the handles are non-conductors of electricity.

No.	Length of Blade	Width of Tip	Overall Length
04	1"	1/4"	7-3/4"
06	6"	5/16"	10-1/4"
08	8"	3/8"	13"
012	12"	7/16"	17-1/2"

Care of Screwdrivers

We frequently receive screwdrivers for grinding which have been used where a file or chisel would have been more suitable. This practice does not save time and usually results in spoiling a good screwdriver.

Electricians'

Gray-Bonney Electricians' Screw Drivers are designed with the care and precision so necessary in screw drivers of this type. The blades are forged from special alloy steel, and are heat treated over their entire length. All drivers, regardless of length, are made from 3/16" stock, which makes them invaluable for reaching hard-to-get-at-screws. The handles are made of tough transparent composition, and are non-conductors of electricity.

No.	Length of Blade	Width of Tip	Overall Length
003	3"	3/16"	6-1/2"
006	6"	3/16"	9-1/2"
0010	10"	3/16"	13-1/2"

Wood Handle

Gray-Bonney Wood Handle Screw Drivers are made with the same high grade materials as used in the more expensive drivers. Blades are forged from alloy steel, and are securely anchored in the handles, which are of selected hardwood and beautifully finished.

Tips are taper ground, and the fluted handles give a firm yet comfortable grip. These screw drivers are ideal for mechanics, carpenters and electricians, and are excellent value.

No.	Length of Blade	Width of Tip	Overall Length
W03	3"	7/32"	7-1/4"
W04	4"	1/4"	8"
W06	6"	5/16"	11-3/4"
W08	8"	3/8"	14-1/2"
W010	10"	7/16"	16-1/2"

GRAY-BONNEY SPECIAL SCREW DRIVERS

Phillips' Screw Drivers

Wood Handle

Phillips' screws are rapidly becoming very popular, and every mechanic should have one or more screw drivers of this type. The sizes listed below will take care of all screws. Blades are forged from alloy steel, and are carefully heat treated. The handles are of hardwood, and attractively finished. Not guaranteed.

No.	Blade		Overall Length	Fits Phillips Screws
	Length	Diam.		
WP1	3"	9/64"	5-1/4"	No. 4 and smaller
WP2	4"	1/4"	8-3/4"	No. 5 to No. 8 inc.
WP3	6"	5/16"	11"	No. 10 to No. 16 inc.
WP4	8"	3/8"	14-1/2"	No. 18 and larger

For the mechanic who needs a full set, No. WP Set contains one of each above size. Packed in cardboard box.

Phillips' Screw Drivers

Composition Handle

Where extreme strength is required, these new Phillips' Screw Drivers will be ideal. They have the popular transparent handles, with the blades securely anchored to prevent turning. Not guaranteed.

No.	Blade		Overall Length	Fits Phillips Screws
	Length	Diam.		
CP1	3"	9/64"	6"	4 and smaller
CP2	4"	1/4"	7 3/4"	5 to 9 inc.
CP3	6"	5/16"	10-1/4"	10 to 16 inc.
CP4	8"	3/8"	11"	18 and larger

Short Phillips' Screw Drivers

For cramped quarters — in tightening wind-shield mouldings and on similar jobs — that cannot be reached with regulation length screw drivers, these short screw drivers will be found convenient. Of quality equal to regulation length wood handle screw drivers for Phillips' Screws. Not guaranteed.

No.	Blade		Fits Phillips Screw
	Length	Diameter	
SP1	1"	9/64"	No. 4 and Smaller
SP2	1-3/8"	1/4"	No. 5 to No. 9 Inc.

No. 0672 Offset Screw Driver Set

The Offset Screw Drivers illustrated are well adapted for work in the "hard-to-get-at" places and are well suited for ignition, carburetor, generator and starter work. Forged from selected alloy steel, correctly hardened and tempered to withstand strain. Can be purchased singly or in complete sets of three in leatherette roll, as illustrated. No. 0672 Set in Roll.


No.	Size Stock	Length
0699	1/4"	4"
0671	3/8"	6"
0673	1/2"	7"

ROBERTSON SCREW DRIVERS—Wood Handles

The extensive use of Robertson screws makes it necessary for all mechanics to own a set of Robertson Screw Drivers. Hand Drivers may be distinguished by the different color handles. Green for the No. 1 or smallest point; Red for No. 2 or medium point; and Black for No. 3.

Chart showing sizes of various Sockets, Screws Driven by each driver

Color	Stubby	Regular	Wood Screws	Machine Screws	Self Tapping, Type "C"	Self Tapping "A" and "Z"	
						Rd. of Flat Head oval hex	Blending hex
Green	*RB121	10B1 1/2" x 1/4"	1, 2 & 6	8 & 10	8 & 10	8 & 7	8, 6, 7 & 8
Red	*RB122	10B2 1 1/2" x 1/4"	7, 8 & 9	8 & 10	8 & 10	8 & 10	*10
Black	*RB123	10B3 1 3/4" x 1/4"	10, 12 & 14	*12 & 14	*12 & 14	*12 & 14	*12 & 14



Stubby Type



Regular Type

GRAY-BONNEY SPECIAL SCREW DRIVERS

No. 001 Pocket Size




A very handy screw driver for the mechanic. Clip for holding driver in pocket supplied with each driver. Blade heat treated and handle non-conducting composition. Tip 1/8", length 2". Not guaranteed.

No. 00A Midget

A tiny screwdriver that is ideal for use on delicate electrical and ignition apparatus. The blade is only 1-1/2" long with a 1/16" tip, with an overall length of 2 7/8". Handle is of non-conductor type. Not guaranteed.

No. E02 Neon Tube Pocket Type



Neon Tube in the handle for testing spark plugs; a tough composition handle that is a non-conductor of electricity; a magnetized tip; and a strong pocket clip. The blade is made of alloy steel and is firmly anchored in the handle. Length of blade, 2-1/4"; width of tip, 1/8". Not guaranteed.

No. E03 Neon Tube Electrical Type




A most useful tool for automotive and electrical work. Built to stand hard usage. Has Neon Tube in handle.

When testing spark plugs, a brilliant orange flash shows plug is O.K. Completely shorted plugs produce no flash. A stringy flash shows plug is partly fouled. Size, 3"; width of tip, 3/16". Not guaranteed.

Extra Neon Tubes can be supplied.

NOTE—Owing to the delicate construction of the blades in 001, 00A, E02 and E03 drivers and the Neon Tubes in E02 and E03, they are not guaranteed against breakage.



Adjusting



This short, sturdy screw driver is invaluable for work in confined spaces and on overhead tappet adjustments. The blade is formed from alloy steel and carefully heat treated.

No.	Length of Blade	Width of Tip	Overall Length
S01	1-3/4"	1/4"	3-3/4"
S02	1"	1/4"	2-3/4"

Hold-E-Zee Screw Drivers



Hold-E-Zee Screw Drivers will hold screws firmly, and will save much valuable time. Handles are of tough composition, with blades carefully heat treated.

No.	Blade Size	Overall Length
R2	5/32" x 2"	4-3/4"
R3	5/32" x 3"	5-3/16"
TR4	5/32" x 4"	7-1/4"
TR6	5/32" x 6"	9-5/8"
TR8	5/32" x 8"	11-5/8"
TR10	5/32" x 10"	13-5/8"
TC2	7/32" x 1-3/4"	4-1/4"
TS4	7/32" x 4"	8-1/4"
TH6	5/16" x 6"	9-3/16"
TS7	7/32" x 7"	11-1/4"
TH8	5/16" x 8"	12-7/8"

Hold-E-Zee D17 Merchandiser

This popular attractive Display Stand is an ideal counter type merchandiser. It was created as an aid to dealer sales and contains the following fast selling Hold-E-Zee screw drivers

Front Panel—1 each RH2, TR4, TR6, TR8, TS4, TS7 and TH6. Back Panel stock consists of ten screw drivers—two each of RH2, TR4, TR6, TS4 and TS7.

Clutch Head Screw Drivers

Made of alloy steel carefully heat treated to withstand severe usage. Handles are of transparent, non-conducting composition.

No.	Clutch Size	Blade Length	Overall Length	Fits Screw Sizes
CL 3	5/32"	4"	7-3/4"	No. 6, No. 8, No. 10
CL 5	1/4"	6"	10-1/4"	No. 12, No. 14 1/4"
CL 7	5/16"	6"	10-1/2"	5/16" & 3/8"
CL 13	5/32"	1-5/8"	3 3/8"	No. 6, No. 8, No. 10
CL 15	1/4"	1-5/8"	3-3/8"	No. 12, No. 14, & 1/4"

The Finest That  Money Can Buy

GRAY-BONNEY HAMMERS AND BODY AND FENDER TOOLS

Ball Pein Hammers



Gray-Bonney No. 212 Series Ball Pein Hammers are drop forged from selected steel and carefully heat treated. The handles are of straight grain hickory, securely fastened in the head, with our special iron S wedge. The No. 212 Series have head, pein and sides polished, with the balance finished in black enamel.

No.	Weight	Replacement Handle No.
212	3 Lbs.	7
212A	2-1/2 "	6
212C	2 "	5
212E	1-1/2 "	4
212G	1 "	3
212H	3/4 "	3
212I	8 oz.	2
212J	6 "	2
212K	4 "	1

Multi-Head Hammer



This hammer is designed so that the changing of faces is a matter of seconds. The head is made of forged steel carefully machined, so that the heads are locked firmly in position. The hammer comes complete with five tips: Pyralin, copper, cad. rubber and composition.

- No. PH5M—Complete with tips.
- No. PHP—Extra Pyralin tip.
- No. PHR—extra rubber tip.
- No. PHB—Extra composition tip.
- No. PHL—Extra lead tip.
- No. PHC—Extra copper tip.

Bumping Hammer



No. PH22—This hammer has polished faces and black body. Head, 4-1/4" long. Round face, 1-1/4" in diameter. Square face, 1-1/4" square. Overall length, 12" Weight, 14 ozs. Replacement Handle No. 3.

Soft Face Hammers



Gray - Bonney Soft Face Hammers are useful for fitting piston pins and similar jobs, and for body

and fender work. The tips are of a tough, amber-colored composition material that will not mar a finely finished surface. New tip may be attached by turning the old one loose with a pipe wrench and pressing on the new tip. The hammer is properly balanced and the hickory handle is securely locked in the head.

No.	Weight
*PH18	1/4 lb.
PH15	1/2 lb.
PH20	1 lb.

*Supersedes PH17.

Extra Tips are available for all hammers. To order, simply specify number of hammer.

Light Bumping Hammer



No. PH23 — A light weight finishing hammer with head having polished faces and black body. Head, 4" long.

Round face, 1-1/4" in diameter. Square face, 1-1/8" square. Overall length, 11-1/2". Weight, 9 ozs. Replacement Handle No. 3.

Dinging Hammer



No. PH24—A finishing hammer with faces crowned and polished; body of head finished in black. Head, 6" long. Large face, 1-5/8" diameter. Small

face, 1 1/4" diameter. Overall length, 12". Weight, 13 ozs. Replacement Handle No. 3.

Light Dinging Hammer



No. PH25 — A sturdily made, light weight finishing hammer. Head 6-1/2" long. Large face 1-1/4" square. Small face, 1 1/16" in diameter. Overall

length, 11-1/2". Weight, 10 ozs. Replacement Handle No. 3.

GRAY-BONNEY BODY AND FENDER TOOLS

Special Bumping Hammer



No. PH26 — The head is drop forged with bullet shaped end which makes it easy to remove small dents. Face of the

head is polished with body finished in black. Strong hickory handle. Head, 4" long. Weight, 7 ozs.

Upholsterers' Magnetic Hammer



No. PH27—Head is polished all over and one end is magnetized. Head is 5-1/2" long. Overall length 12". Weight, 7 ozs.

Fender Bumper Mallet



No. PH30—Has rubber composition head which excels hickory for durability. It will not

shatter, chip or split. Handle is of hickory. Head 2-1/2" in diameter, 4-1/2" long. Handle is 11-1/2" long. Weight 1-3/4 lbs.

Regular or Toe Dolly Block



No. F2—Drop forged of selected steel and full surface ground and polished. Length, 4-3/4". Width, 2-1/4". Thickness, 1 1/16". Weight, 2-1/2 lbs.

Heel Dolly Block



No. F3—Drop forged of steel most suitable for this type tool. Full surface ground and polished. Length, 2-1/2". Width, 3-1/8". Thickness, 1-1/2". Weight, 2-1/4 lbs.

Bar Dolly



No. F4—Drop forged steel and full surface ground and polished. Length, 4-1/4". Width, 2". Thickness, 1-1/2". Weight, 3 lbs.

Wedge Dolly Block



No. F5—Especially designed for work on turret tops. Drop forged of selected steel, with working surfaces highly polished. Length, 5". Width, 2-1/2". Weight, 2-1/2 lbs.

General Purpose Dolly Block



No. F6—Full surface ground and polished. Weight, 3 lbs. Drop forged steel.

Budd Dolly Block



No. F7—Drop forged of selected steel. Full surface ground and polished. Its curved surfaces are designed so that it will take care of any repair on a Budd body. Each block is carefully gauged after it is polished to insure correct radii of the curves. Weight, 3 lbs.

Small Hand Hold Dolly



No. F10—Working surfaces are ground and polished. Weight, 2-1/4 lbs.

GRAY-BONNEY BODY AND FENDER TOOLS

Large Hand Hold Dolly



No. F12—Working surfaces are ground and polished. Weight, 3-1/2 lbs.

Special Door Panel Spoon



No. F13—In addition to work on door panels, this spoon will be found handy for working on the quarterdeck of turret tops and between the headlining strainer and roof panels. It is also handy for work between the fender bracket and fender metal where a dolly block can't be used.

Blade is 2-1/4" wide, 5-1/2" long. Handle is 7/8" diameter. Weight 23 ozs.

Wide Body Spoon



No. F15—Blade ground and polished. Dimensions of blade: 2-1/16" wide, 5" long. Overall length, 10-1/2". Weight, 1 lb.

Panel Spoon




No. F16—Used in general body repair work and on turret tops. Forged of selected steel with polished working surfaces. Blade 2-1/4" wide, 6-1/4" long. Overall length, 11-1/4". Weight, 22 ozs.

Flat File Holder



No. F24—This inexpensive file holder, for the regular 14" flat file has long proved very popular with body workers. It is light in weight, yet has the strength of a metal holder. The comfortably shaped hand grip and perfect balance give the operator perfect control, resulting in quick satisfactory work.

Flexible Body File



No. F25—The application of the milling cutter principle to body files has produced a file that will last longer and do better work. Each tooth is individually milled, and the U shaped groove provides maximum clearance allowing the ribbon like shavings to be cleared quickly and easily. The elimination of packing and loading is a feature of this new file, and the teeth will maintain their razor like sharpness several times as long as the old V tooth file. Overall length, 14".

File and Holder Set

Holder Supplied Free

No. F26—For the shop using the F25 14" file, this combination will prove to be excellent value. Six general purpose 14" files and a No. F24 Holder for the ordinary cost of the files.

Adjustable File Holder



No. F31—Can be used on 12" and 14" files. This holder is strongly made, yet is light and handy. Can be adjusted for curving the file either outward or inward.

GRAY-BONNEY BODY AND FENDER SETS

FB10 Set

Approx. Weight 38 lbs. Contains 10 Pieces



A compact set of body and fender tools suitable for taking care of the minor bumps which the average shop is called on to straighten out. Contains 10 pieces packed in an attractively finished metal case measuring 21" x 7" x 6".

No.	Description
F2	Regular or Toe Dolly Block
F3	Heel Dolly Block
F4	Bar Dolly
F6	General Purpose Dolly Block
F10	Small Hand Hold Dolly
F25	Flexible Body File
F31	Adjustable File Holder
PH22	Bumping Hammer
PH24	Dinging Hammer
PH26	Special Bumping Hammer

FB14 Set

Approx. Weight 45 lbs. Contains 14 Pieces



Contains 14 essential pieces for body and fender repair work. Packed in a strong, attractively finished metal box with removable tray, padlock hasp and carrying handle. The box is sufficiently large to take care of tools you may have on hand or wish to add later. It measures 21" x 7" x 6".

No.	Description
F2	Regular or Toe Dolly Block
F3	Heel Dolly Block
F4	Bar Dolly
F5	Wedge Dolly Block
F6	General Purpose Dolly Block
F12	Large Hand Hold Dolly
F13	Special Door Panel Spoon
F16	Panel Spoon
F25	Flexible Body File
F31	Adjustable File Holder
PH22	Bumping Hammer
PH24	Dinging Hammer
PH25	Light Dinging Hammer
PH26	Special Bumping Hammer

FB19 Set

Contains 19 Pieces

Approx. Weight 54 lbs.



A complete set of fender hammers, dollies, spoons, files, etc., for the specialist in body and fender repair work. Each tool has been carefully selected so that any job can be done with speed and thoroughness. Packed in attractive metal chest with tote tray and strong padlock hasp. Chest size, 21" x 7-1/2" x 8-1/8".

No.	Description
F2	Regular or Toe Dolly Block
F3	Heel Dolly Block
F4	Bar Dolly
F5	Wedge Dolly Block
F6	General Purpose Dolly Block
F7	Budd Dolly Block
F10	Small Hand Hold Dolly
F12	Large Hand Hold Dolly
F13	Special Door Panel Spoon
F15	Wide Body Spoon
F16	Panel Spoon
F25	Flexible Body File
F31	Adjustable File Holder
PH22	Bumping Hammer
PH23	Light Bumping Hammer
PH24	Dinging Hammer
PH25	Light Dinging Hammer
PH26	Special Bumping Hammer
PH27	Upholsterers' Magnetic Hammer

GRAY-BONNEY BRITISH SIZE OPENINGS

Gray-Bonney Engineers' Wrenches, Socket Sets and Box Wrenches are available with B.S.F. and Whitworth size openings. The increasing use of cars, trucks, motorcycles and other mechanical devices of British origin make tools of this type a necessity. All are processed from the finest alloy steels, designed and finished to assure maximum user satisfaction.

WB 49

Combination Set

"BRITISH SIZES"



49 Pieces

- 20 Double Hexagon Sockets
- 15 Handles and attachments
- 8 Box Wrenches
- 6 Engineers' Wrenches

This WB49 Set has been created to meet the requirements of mechanics responsible for the maintenance of cars, trucks and other mechanical equipment built to British specifications. It is a general purpose set, contained in a metal chest measuring 21" x 7" x 6".

Contains the following 49 Pieces:

3/8" Square Drive		
No.	Whitworth Bolt Size	
MW1	4BA	Double Hex. Socket
MW2	3BA	" "
MW3	2BA	" "
MW4	1 7/8"	" "
MW5	1BA	" "
MW6	6BA	" "
MW7	3/16"	" "
MW8	1/4"	" "
MW9	5/16"	" "
MW10	3/8"	" "
T3	Universal Joint	
T36	Sliding T Handle	
T5	11" Extension	
T4	6" "	
T31	3" "	
T9	Speed Handle	
T30	10" Flex Handle	
T32	Cross Bar	
T35	Reversible Ratchet	
1/2" Square Drive		
No.	Whitworth Bolt Size	
W155	3/16"	Double Hex. Opening
W156	1/4"	" "
W157	5/16"	" "
W158	3/8"	" "

1/2" Square Drive—Continued		
No.	Whitworth Bolt Size	
W159	7/16"	Double Hex. Opening
W160	1/2"	" "
W161	9/16"	" "
W162	5/8"	" "
W163	11/16"	" "
W164	3/4"	" "
718	5" Extension	
719A	10" Swivel Grip Extension	
653	15" Flex Handle	
655	Cross Bar	
686	19" Speeder	
1897	Reversible Ratchet	
Also included		
Engineers' Wrenches.—Set of six wrenches as contained in WB6 on page 51.		
Long Box Wrenches—Double Offset.—Set of five wrenches as contained in WB35 Set on page 51.		
Short Box Wrenches—Double Offset.—Set of three wrenches, W176, W177, W178, as shown on page 51.		
No. WB49 Set containing 49 pieces comes complete in steel chest as illustrated. Chest measures 21" x 7" x 6".		

GRAY-BONNEY BRITISH SIZE OPENINGS SOCKET WRENCHES

Gray-Bonney Sockets, Handles and Attachments used in British size sets are of the same high quality as characteristic of the entire Gray-Bonney Line. The sockets are of the thin wall type and are forged from the finest alloy steel. All pieces are finished in lustrous chrome.

WB12 British Size Socket Set

1/2" Sq. Drive



This Spinner Set includes all sockets as contained in Set No. WB16 illustrated below. It also contains a 15" flexible handle No. 653 and Cross Bar No. 655.

WB312 British Size Socket Set

3/8" Sq. Drive



This handy little set contains all the sockets in the WB19 set illustrated below, together with the T30 flex handle and T32 cross bar. In steel box as illustrated.

WB16 British Size Socket Set

1/2" Sq. Drive



The sockets and handles in this set are all 1/2" square drive. The sockets are of the straight thru wall type, and range in size from 29/64" to 1 19/64" nominal openings. All parts are forged from high grade alloy steel and are attractively nickel plated.

This set in steel box (as illustrated) contains all the sockets and attachments listed below.

No.	Whitworth Bolt Size
W155	3/16" Double Hex. Socket
W156	1/4" " "
W157	5/16" " "
W158	3/8" " "
W159	7/16" " "
W160	1/2" " "
W161	9/16" " "
W162	5/8" " "
W163	11/16" " "
W164	3/4" " "

653	15" Spinner Handle
655	Cross Bar
686	12" Speeder
718	5" Extensor
719A	10" Swivel Grip Extension
4897	Reversible Ratchet

WB19 British Size Socket Set

3/8" Sq. Drive



The sockets are extra thin with straight walls, and all handles are extremely light and easy to handle. The reversible ratchet with this set is of the highest quality, and can be used with 1/4" drive sockets by the use of a 1/4" drive connector. In steel box as illustrated.

The following sockets and handles are included:

No.	Whitworth Bolt Size
MW 1	4 BA Double Hex. Socket
MW 2	3 BA " "
MW 3	2 BA " "
MW 4	1 7/8" " "
MW 5	1 BA " "
MW 6	1 BA " "
MW 7	3/16" " "
MW 8	1/4" " "
MW 9	5/16" " "
MW10	3/8" " "
T3	Universal Joint
T36	Slicing T Handle
T5	11" Extension
T4	6" " "
T31	3" " "
T9	Speed Handle
T30	18" Flex Handle
T32	Cross Bar
T35	Reversible Ratchet

GRAY-BONNEY BRITISH SIZE SOCKET WRENCHES

Gray-Bonney Sockets and Wrenches for British sizes are manufactured with extreme care and precision. A complete set should be available in every shop to service the many types of British cars, trucks, aircraft and other popular equipment.

HDW14 British Size Socket Set 3/4" Sq. Drive

Packed in Strong Metal Carrying Case

A Heavy Duty Set designed to service Heavy Equipment

CONTENTS

No.	"B.S.W." Whitworth Bolt Size	No.	"B.S.W." Whitworth Bolt Size	No.	Attachments Description
WH160	1/2" Double Hexagon Socket	WH166	7/8" Double Hexagon Socket	86	Sliding T Handle
WH161	9/16" " " "	WH167	1 1/16" " " "	88	8" Extension
WH162	5/8" " " "	WH168	1" " " "	87	15-1/2" Extension
WH163	11/16" " " "			98	19" Ratchet
WH164	3/4" " " "			89	Ratchet Connector
WH165	13/16" " " "				

Sockets with British Size Openings

1/4" Sq. Drive

W153 Fits 1/4" B.S.F. and 3/16" B.S.W.

W154 Fits 2BA

3/8" Sq. Drive

Double Hexagon Type

No.	Nom. Open.	Whitworth	B.S.F.
MW 1	1/4"	4BA	
MW 2	9/32"	3BA	
MW 3	21/64"	2BA	
MW 4	11/32"	1 1/8"	
MW 5	23/64"	1BA	
MW 6	13/32"	0BA	
MW 7	29/64"	3/16"	1/4"
MW 8	17/32"	1/4"	5/16"
MW 9	39/64"	5/16"	3/8"
MW10	23/32"	3/8"	7/16"

1/2" Sq. Drive

Extra Deep Double Hexagon Type

No.	Nom. Open.	B.S.W.	B.S.F.
WL154	11/32"	1/8"	
WL155	29/64"	3/16"	1/4"
WL156	17/32"	1/4"	9/32" & 5/16"
WL157	39/64"	5/16"	3/8"
WL158	23/32"	3/8"	7/16"
WL159	23/64"	7/16"	1/2"
WL160	59/64"	1/2"	9/16"
WL161	1-1/64"	9/16"	5/8"
WL162	1-7/64"	5/8"	11/16"

Above sockets 3-1/4" overall length.

1/2" Sq. Drive

Double Hexagon Type

No.	Nom. Open.	B.S.W.	B.S.F.
W152	13/32"	O.B.A.	
W155	29/64"	3/16"	1/4"
W156	17/32"	1/4"	5/16"
W157	39/64"	5/16"	3/8"
W158	23/32"	3/8"	7/16"
W159	53/64"	7/16"	1/2"
W160	59/64"	1/2"	9/16"
W161	1-1/64"	9/16"	5/8"
W162	1-7/64"	5/8"	11/16"
W163	1-13/16"	11/16"	3/4"
W164	1-19/64"	3/4"	7/8"


3/4" Sq. Drive

Double Hexagon Type

No.	Nom. Open.	B.S.W.	B.S.F.
WH160	59/64"	1/2"	9/16"
WH161	1-1/64"	9/16"	5/8"
WH162	1-7/64"	5/8"	11/16"
WH163	1-13/64"	11/16"	3/4"
WH164	1-19/64"	3/4"	7/8"
WH165	1-25/64"	13/16"	15/16"
WH166	1-31/64"	7/8"	1"
WH167	1-37/64"	15/16"	
WH168	1-43/64"	1"	1 1/8"

GRAY-BONNEY BRITISH SIZE OPENINGS

British Size Open End Wrenches



Gray-Bonney Engineers' Wrenches with British openings are correctly designed and combine lightness with strength and durability. They are drop forged from Chrome-Vanadium alloy steel, carefully heat treated and attractively plated, with buffed heads.

No.	Nominal Open.	B.S.W.	B.S.F.	Length
W775	11/32 x 29/64	1/8 x 3/16	1/4	5
W781	21/64 x 29/64	2BA x 3/16	1/4	5
W774	29/64 x 17/32	3/16 x 1/4	1/4 x 5/16	6 1/4
W782	17/32 x 39/64	1/4 x 5/16	5/16 x 3/8	7
W776	39/64 x 23/32	5/16 x 3/8	3/8 x 7/16	8
W783	23/32 x 53/64	3/8 x 7/16	7/16 x 1/2	8
W784	53/64 x 59/64	7/16 x 1/2	1/2 x 3/16	9
W793	59/64 x 1-1/64	1/2 x 9/16	9/16 x 5/8	10-3/4
W794	1-7/64 x 1-19/64	5/8 x 3/4	11/16 x 7/8	12
W795	1-1/64 x 1-7/64	9/16 x 5/8	5/8 x 1-1/16	10-3/4
W796	1-19/64 x 1-31/64	3/4 x 7/8	7/8 x 1	12-1/2
W797	1-31/64 x 1-43/64	7/8 x 1	1 x 1-1/8	12-1/2

British WB6LR Engineers' Wrench Set

This set includes wrenches to service most popular British sizes. Content includes W781, W782, W783, W784, W774 and W776. The size of milled openings may be determined by referring to chart above. Supplied in leatherette roll.

British Size Tappet Wrenches

No.	B.S.W.	B.S.F.
W122	1/8" x 3/16"	1/4"
W122A	3/16" x 1/4"	3/8" x 7/16"
W124	5/16" x 3/8"	

British No. W4T Tappet Set

This set includes two No. W122 and two No. W124 complete in leatherette roll.

British Size Ignition Wrenches

The WE Series Miniature Ignition Wrenches listed below are similar to the E series on page 24. They are drop forged from alloy steel, heat treated and chrome plated with polished heads.


No.	Nominal Opening	Whitworth
WE01	13/32" x 23/64"	0BA & 1BA
WE10	23/64" x 13/32"	1BA & 0BA
WE23	21/64" x 9/32"	2BA & 3BA
WE32	9/32" x 21/64"	3BA & 2BA
WE45	1/4" x 7/32"	4BA & 5BA
WE54	7/32" x 1/4"	5BA & 4BA
WE67	3/16" x 11/64"	6BA & 7BA
WE76	11/64" x 3/16"	7BA & 6BA

British No. WE8 Ignition Set

The WE8 set contains one each of all WE series ignition wrenches listed above. Supplied in a leatherette roll.

British Size Box Wrenches

Long Type



This new series of Gray-Bonney Box Wrenches with British size openings should be in every tool kit. The usefulness of this type of wrench has long been appreciated by mechanics, and their ability to reach hard-to-get-at places is unequalled. The offset heads (with different opening at each end) and the cleanly beveled 12 point openings make them ideal for practically every job. These wrenches are drop forged from Chrome-Vanadium alloy steel, and are light in weight, they will stand up under the most exacting conditions. They are attractively plated with polished heads and panels.

No.	Nom. Opening	Whitworth	B.S.F.
W70	21/64 x 13/32	2BA x 0BA	7/32
W71	11/32 x 29/64	1/8 x 3/16	1/4
W72	17/32 x 39/64	1/4 x 5/16	5/16 x 3/8
W73	39/64 x 23/32	5/16 x 3/8	3/8 x 7/16
W77	53/64 x 59/64	7/16 x 1/2	1/2 x 9/16
W79	1-1/64 x 1-7/64	9/16 x 5/8	5/8 x 11/16
W187	1-7/64 x 1-19/64	5/8 x 3/4	11/16 x 7/8
W189	1-31/64 x 1-43/64	7/8 x 1	1 x 1-1/8

British Box Wrench Sets—Long Type

The W796 Set contains six wrenches W70 to W79, with a range of British sizes from 2BA to 5/8" Whitworth, and 7/32" to 11/16" B.S.F. The set comes complete in heavy fibre box.

W795 Set contains five wrenches W71 to W79 inclusive, with openings from 1/8" to 5/8" Whitworth and 1/4" to 11/16" B.S.F. Packed in fibre box.

British Short Type Box Wrenches

Both Ends Offset

Different Opening in Each End



These handy short type box wrenches are ideal for getting into confined spaces. The heads are correctly offset with 12 point openings and plated.

No.	Nom. Opening	Whitworth	B.S.F.
W176	11/32 x 29/64	1/8 x 3/16	1/4
W176A	21/64 x 29/64	2BA x 3/16	1/4
W177	17/32 x 39/64	1/4 x 5/16	5/16 x 3/8
W178	39/64 x 23/32	5/16 x 3/8	3/8 x 7/16
W179	23/32 x 53/64	3/8 x 7/16	

British WB190 Box Wrench Set

The WB190 Set is made up of one each of Nos. W176, W177, W178 and W179. Packed in cardboard box.

Weight 25 Lbs.

The RF85 Set is designed particularly for refrigeration mechanics and service men. It is a complete set and consists of special refrigeration tools, an assortment of sockets and attachments, combination wrenches and other necessary service tools.



No.	Description	No.	Description
WTLR RF80	In leatherette roll. Page 25 In small metal box. Page 53		COMBINATION (T _H - TYPE) WRENCHES
	3/8" SQ. DRIVE SOCKETS AND ATTACHMENTS	3112	3/8" Openings
T4	Extension, 6" long	3114	7/16" Openings
T3	Extension, 12" long	3116	1/2" Openings
T14	7/16" Double Hex. Socket	3118	9/16" Openings
T16	1/2" Double Hex. Socket	3120	5/8" Openings
T18	9/16" Double Hex. Socket		RIGHT ANGLE WRENCHES
T20	5/8" Double Hex. Socket	2723	3/8" & 7/16" Openings
T22	11/16" Double Hex. Socket	2725E	1/2" & 9/16" Openings
T35	Reversible Ratchet	2729RA	5/8" & 3/4" Openings
T36	Sliding "T" Handle.		TUBE BENDERS
	DOUBLE OFFSET BOX WRENCHES	RF60	For 1/4" tubing
2381	3/8" & 7/16" Short Type, Dble. Hex. Opening	RF61	For 5/16" tubing
2386	1/2" & 9/16" Short Type, Dble. Hex. Opening	RF62	For 3/8" tubing
		RF63	For 7/16" tubing
2388	5/8" & 3/4" Short Type, Dble. Hex. Opening	RF64	For 1/2" tubing
		RF65	For 5/8" tubing

No.	Description
	PLIERS
654	Long Nose Side Cutting, 6"
B2	Heavy Duty Slip Joint, 8"
258	Pump Plier, 11"
	SCREW DRIVERS
001	Packet Size, Composition Handle, 2" blade
003	Electricians', Composition Handle, 3" blade
04	Round Shank, Composition Handle, 4" blade
06	Round Shank, Composition Handle, 6" blade
CP2	For Phillips Screws Nos. 5 to 9 inclusive
CP3	For Phillips Screws Nos. 10 to 16 inclusive
	MISCELLANEOUS
RF46	Flaring Tool for 1/4", 5/16", 3/8", 1/2", 5/8" tubing
RF54	Flare Nut Wrench, 3/4" & 1" openings
RF55	Flare Nut Wrench, 7/8" & 1-1/8" openings
RF59	Tube Cutter for tubing from 1/8" to 1" O.D.
K6	Handy Holding Tool, 6" reach
212-1	Ball Pein Hammer, 1/2 lb. Head
199	Shop Knife

GRAY-BONNEY REFRIGERATION SOCKET SETS

In this RF81 Set will be found practically all of the Sockets and Attachments, including the popular RF22 Ratchet, that the refrigeration service man will need on all ordinary jobs. In addition three thin wall, double hexagon special Refrigeration Box Wrenches are included. All are packed in a steel box which measures 15-7 8" L x 3-3 8" W x 1-3/4" D.


RF81 Set Content

No.	Description
V8	1/4" Hexagon Socket (1/4" Square Drive)
V9	9/32" Hexagon Socket (1/4" Square Drive)
V10	5/16" Double Hexagon Socket (1/4" Square Dr.)
V11	11/32" Double Hexagon Socket (1/4" Square Dr.)
V12	3/8" Double Hexagon Socket (1/4" Square Drive)
V14	7/16" Double Hexagon Socket (1/4" Square Dr.)
V17	Sliding "T" Handle, 4 1/2" long (1/4" Square Dr.)
V18	Extension, 6" long (1/4" Square Drive)
T4	Extension, 6" long (3/8" Square Drive)
T16	1/2" Double Hexagon Socket (3/8" Square Drive)
T18	9/16" Double Hexagon Socket (3/8" Square Dr.)
T20	5/8" Double Hexagon Socket (3/8" Square Drive)
T36	Sliding "T" Handle 8" long (3/8" Square Drive)
RF2	Valve Stem Socket (1/4" Male Drive)
RF3	Valve Stem Socket (1/4" Male Drive)
RF4	Valve Stem Socket (1/4" Male Drive)
RF5	Valve Stem Socket (1/4" Male Drive)
RF6	Packing Gland Nut Socket (1/4" Male Drive)
RF10	Packing Gland Nut Socket (1/4" Male Drive)
RF71	Packing Gland Nut Socket (1/4" Male Drive)
RF73	Packing Gland Nut Socket (1/4" Male Drive)
RF67	Kerotest Valve Packing Nut Socket (1/4" Male Dr.)
RF49	1/4" x 1/4" Adaptor
RF11	1/4" x 3/8" Adaptor
RF22	Refrigeration Ratchet (1/4" Sq. Ratchet Opening)
2384	3/8" & 7/16" Double Hexagon Box Wrench
2386	1/2" & 9/16" Double Hexagon Box Wrench
2388	5/8" & 3/4" Double Hexagon Box Wrench

RF81 Set

Contains 28 Pieces

Weight 4 lbs. 9 ozs.



A new, up-to-the-minute, pocket size kit of Refrigerator Sockets and Ratchet for use on practically any repairs requiring tools of this type. All pieces are made of selected steels and heavily plated. One each of the following 29 pieces are packed in a sturdy metal box which measures 7 1/2" x 3 1/4" x 1 1/4".


Content of RF80 Set

V8	1/4" Hexagon Socket (1/4" Square Drive)
V9	9/32" Hexagon Socket (1/4" Square Drive)
V10	5/16" Double Hexagon Socket (1/4" Sq. Dr.)
V11	11/32" Double Hexagon Socket (1/4" Sq. Dr.)
V12	3/8" Double Hexagon Socket (1/4" Sq. Dr.)
V14	7/16" Double Hexagon Socket (1/4" Sq. Dr.)
V17	Sliding "T" Handle, 4 1/2" long, (1/4" Sq. Dr.)
V18	Extension, 6" long (1/4" Square Drive)
RF2	Valve Stem Socket (1/4" Male Drive)
RF3	Valve Stem Socket (1/4" Male Drive)
RF4	Valve Stem Socket (1/4" Male Drive)
RF5	Valve Stem Socket (1/4" Male Drive)
RF6	Packing Gland Nut Socket (1/4" Male Drive)
RF16	Packing Gland Nut Socket (1/4" Male Drive)
RF71	Packing Gland Nut Socket (1/4" Male Drive)
RF72	Packing Gland Nut Socket (1/4" Male Drive)
RF73	Packing Gland Nut Socket (1/4" Male Drive)
RF67	Kerotest Valve Packing Socket (1/4" Male Dr.)
RF49	1/4" x 1/4" Adaptor
RF22	Ratchet Handle (1/4" Sq. Ratchet Opening)

RF80 Set


Contains 20 Pieces

Weight 2 lbs. 2 ozs.



GRAY-BONNEY REFRIGERATION TOOLS

Flare Nut Wrenches



Open End—Box Type

These open end, box type wrenches have been designed especially for making flare nut adjustments. They are drop-forged of Bonaloy Steel, chromium plated with polished heads. They are long, thin and with panelled handles, permitting a firm, comfortable grip. Heads have double hexagon openings.

No.	Openings	S.A.E. Flare Size	Length
RF54A	3/4" & 7/8"	3/16", 1/4", 5/16" & 3/8"	8"
RF54	3/4" & 1"	3/16", 1/4", 5/16", 7/16" & 1/2"	8"
RF55A	7/8" & 1"	3/8", 7/16", 1/2"	9 1/2"
RF55	7/8" & 1-1/8"	3/8", 5/8"	9-1/2"




Open End—Box Type

Drop-forged of Bonaloy Steel these two wrenches are especially for copper tube fittings with 3/8", 7/16", 1/2" and 9/16" hexagon. The wrenches are fully chrome plated with polished heads, have panelled handles and double hexagon openings.

No. 2618 is designed specially for the removal of the copper tubing flare nut on the back of the expansion valve on all Kelvinator models previous to the hermetically sealed units. Heads are at 15° angles.

No.	Openings	Length
2612	3/8" & 1/2"	4-3/4"
2618	7/16" & 9/16"	5"

Spinner Wrenches



Designed especially for reaching small nuts that can be handled only with exceptionally small sockets. Made like a screw driver with a hexagon socket on the end that grips the nut firmly. Shanks and sockets have plated finish. The composition handles are fluted for a firm grip.

No.	Hexagon Opening	Overall Length	Drill Depth
CH06	3/16"	6"	2-1/4"
CH08	1/4"	6"	2-1/4"
CH10	5/16"	6"	2-1/4"
CH11	11/32"	6"	2-1/4"
CH12	3/8"	6"	5"
CH14	7/16"	7-1/8"	5"
CH16	1/2"	7-1/8"	6"

Reversible Ratchet No. RF45



This ratchet is primarily designed for refrigeration work. It has an easy action, is light in weight, has trim lines, is strong and can be instantly reversed by a touch of the thumb. The ratchet opening is 1/4" square, the openings in the handle are 3/16" and 1/4" square and 1/2" hexagon socket. The tool is drop forged and plated. Overall length 6".

Non-Reversible Ratchet



This type of ratchet, made with four different size ratchet openings, is forged of Bonaloy Steel with plated finish. The ratchet is fully enclosed to keep out all dust and dirt.

They are specially adapted to work on small refrigerant cylinders, shut-off and reducing valves, compressors, motors, etc.

No.	Ratchet Opening Square	Handle Openings Square	Handle Opening Hexagon	Length
RF21	3/16"	3/16" & 1/4"	1/2"	6"
RF22	1/4"	3/16" & 1/4"	1/2"	6"
RF23	5/16"	3/16" & 5/16"	1/2"	6"
RF25	3/8"	3/16" & 1/4"	1/2"	6"

Socket Wrench for Fedders Needle Seat Assembly



This "T" handle socket wrench is drop-forged of selected steel, carefully heat-treated and has plated finish. It is designed especially for inserting and removing Fedders cartridge type needle seat assembly. Has single hexagon opening.

No.	Opening	Diameter of Head	Length
RF 57	7/16"	19/32"	4-7/8"

GRAY-BONNEY REFRIGERATION TOOLS


"S" Type Flare Nut Wrenches



These wrenches are for those who prefer the open end to the box type wrench in making flare nut adjustments. They are drop-forged of selected steel, carefully heat-treated and have plated finish.

No.	Openings	S.A.E. Flare Size	Length
72A	3/4" & 1"	3/16", 1/4", 5/16" & 7/16", 1/2"	5-1/2"
73A	7/8" & 1-1/8"	3/8" & 5/8"	6-1/8"


Switch Adjusting Wrench



Forged of Bonaloy Steel with plated finish, this wrench is designed especially for switch adjustments on the "W" line of Frigidaire cabinet up to and including 1933. This wrench is exceptionally thin for working in close quarters and has paneled handle. Openings are at 15° angle.

No.	Openings	Length	Thickness of Head
118S	7/16" & 9/16"	4"	1/8"

Open End Wrench for Superior Packless Valve



A single head service wrench forged of Bonaloy Steel, chrome-plated with polished head designed especially to fit the hexagon on the auxiliary body of the Superior Diaphragm Packless Valve.

No.	Opening	Length	Thickness of Head
1961	2"	12-1/4"	5/16"

Right Angle Wrenches



Openings in the most necessary sizes for refrigeration service work. Drop-forged of Bonaloy Steel, fully chrome-plated and with polished heads.

No.	Size Openings	Length	Thickness of Heads
2723	3/8" & 7/16"	4-1/4"	7/32"
2723B	1/2" & 9/16"	5-1/2"	15/64"
2729RA	5/8" & 3/4"	7-1/2"	5/16"

Packing Gland Nut Sockets

"T" Handle Type
Not guaranteed

No.	Prong Depth	Prong Width	Inside Diameter	Outside Diameter	Overall Length
RF17	3/8"	7/16"	2 1/4"	1 3/4"	2"
RF18	3/8"	7/16"	2 1/4"	1 3/4"	2"

1/4" Male Drive

Designed for use with No. RF22 and No. RF45 ratchets or any ratchet handle having 1/4" opening. Not guaranteed.

No.	Prong Depth	Prong Width	Inside Diameter	Outside Diameter	Overall Length
RF6	1/4"	3/8"	3/8"	5/8"	1 1/2"
RF16	1/4"	3/8"	5/16"	1 1/2"	1 3/4"
RF71	1/4"	3/8"	5/16"	1 1/2"	1 3/4"
RF72	1/4"	3/8"	5/16"	1 1/2"	1 1/4"
RF73	1/4"	3/8"	5/16"	1 1/2"	1 1/4"

Valve Stem Sockets

"T" Handle Type

No.	Size Square Opening	Outside Diameter		Length
		Nose	Shank	
RF10	3/8"	7/16"	1 1/2"	1 1/2"
RF11	3/8"	7/16"	1 1/2"	1 1/2"
RF12	3/8"	7/16"	1 1/2"	1 1/2"
RF13	3/8"	7/16"	1 1/2"	1 1/2"
RF14	3/8"	7/16"	1 1/2"	1 1/2"

1/4" Male Drive

For use with any ratchet handle having 1/4" opening and Gray-Bonney ratchets Nos. RF22 and RF45.

No.	Size Square Opening	Outside Diameter		Length
		Nose	Shank	
RF2	3/16"	2 1/4"	1 1/2"	1 3/8"
RF5	3/16"	2 1/4"	1 1/2"	1 3/8"
RF3	3/16"	2 1/4"	1 1/2"	1 3/8"
RF4	3/16"	2 1/4"	1 1/2"	1 3/8"

Kerotest Valve Packing Nut Socket

1/4" Male Drive

These sockets have been specially designed for repairs and adjustments on Kerotest valves.

No.	Obround Opening		Outside Diameter	Length
	Length	Width		
RF67	1/2"	3/8"	3/4"	1 1/4"

Ratchet Plug Adaptors


For use with Nos. RF22 and RF45 ratchets, made of Bonaloy Steel, heat-treated and plated.

No.	Plug End	Drive End
RF49	1/4"	1/4"
RF40	1/4"	9/32"
RF41	1/4"	3/8"

The Finest That  Money Can Buy


GRAY-BONNEY MISCELLANEOUS TOOLS

No. RF46 Flaring Tool



A simple, fast, efficient tool for quickly and accurately flaring copper and other tubing having 3/16", 1/4", 5/16", 3/8", 1/2" and 5/8" O.D. Oversize wing nuts securely lock tubing in holes threaded to prevent slipping. Open side flaring yoke attaches instantly to flaring bars. The flaring head is of the self-centering type, assuring easy, perfect flaring. A fine tool, reasonably priced for working in close quarters on gas lines, etc. Net weight 2-1/4 lbs.

No. RF59 Tube Cutter



A compact, efficient tube cutter for all tubing from 1/8" to 1" O.D. Body is an alloy die casting. Wafer-tapered, hardened cutting blade makes cutting easy and with practically no burr. The slide-lock safety reamer opens instantly and protects the hands when not in use. It may be safely carried in your pocket. Net weight 1/2 lb.

Vise-Grip Pliers



This type tool is actually an adjustable end wrench, super plier, vise, clamp, locking wrench, pipe wrench, toggle press—all in one. Holds parts for drilling, welding, etc. Never slips and ideal for crimping, bending, forming or twisting. Built to lock to the job with hands removed. Made of special alloy steel and heat treated for utmost toughness.

Standard Type as Illustrated

VG7 7" long—Opens up to 1-1/8"

VG10 10" long—Opens up to 1 1/2"

Thin Nose Type with Side Cutter

7W 7" long—Opens up to 1-5/8"

10W 10" long—Opens up to 1-7/8"

Tube Benders

External Type



Ideal for bending copper and other tubing by hand to any desired shape without collapsing the tube. Made of special, oil-hardened spring steel, cadmium plated. The belled end assures ease in removing the tubing after the bend has been made.

No.	For Size Tubing
RF60	1/4"
RF61	5/16"
RF62	3/8"
RF63	7/16"
RF64	1/2"
RF65	5/8"

No. RF66 Tube Bender Set

Every service man should have a complete set of tube benders in his kit. The set consists of one each of the above sizes.

No. 9

Vise - Grip Welding Clamp



Now, fender welding is a quick, easy, one-man job! Other welding jobs are equally simplified. Merely place the U-shape jaws over the split edges to be welded . . . close the toggle-lever . . . this LOCKS the jaws to the work with a solid grip. The edges to be welded are brought into alignment . . . and HELD securely . . . freeing both hands for handling the welding equipment.

Deep-throated U-shape jaws provide perfect visibility and working space for the welding operation.

End-screw provides quick jaw-adjustment up to 1-5/8", making this clamp ideal for all kinds of welding, soldering and riveting tin work, sheet metal work, etc., and for holding steel rods, bars, pipes, etc.

Jaw thickness 2-3/4". Length 9".

GRAY-BONNEY TOOL BOXES



SB Box

The No. SB tool box is built to give you a big tool box at low cost. Heavy gauge steel with spot welded construction and with the convenience of a separate tool tray. This is a real box value and large enough to hold the average mechanic's hand tool kit. Furnished with large carrying handle, padlock hasp, and finished in blue baked enamel. Measures inside: 21" x 7-1/2" x 8-1/8".



80B Box

This job box is for the junior mechanic or apprentice who is beginning to build up his set. It is a little smaller than the No. SB, but is built of the same heavy gauge steel and spot welded construction. Equipped with lift out socket tray, strong carrying handle, padlock hasp. Finished in blue baked enamel. Measures inside 21" x 7" x 6".

Mechanics' Tool Boxes

Steel boxes as used in socket sets make excellent tool chests. Their sturdy steel construction makes them ideal for automotive mechanics, millwrights and plant engineers. Listed below is a complete assortment of boxes of this type. All are finished in attractive baked enamel.

No.	Length	Width	Depth
80B	21"	7"	6"
82B	22 1/2"	5 3/8"	3-5/8"
461B	20-1/4"	6-1/2"	1-11/16"
1400B	15-7/8"	3-3/8"	1-3/4"
TG20B	17-1/4"	5"	1"
SB	21"	7-1/2"	8-1/8"

Duplex Tool Boxes

The Gray-Bonney Duplex "all steel" tool boxes have rugged construction and ample strength, yet by a slight pressure on the handle, the box opens and the tools are ready to lift out.

No. 100 Series

High quality boxes, having two trays on each side of handle. Three sizes available.



No. 110B—14" x 8" x 7 3/4"—Weight 9 lbs.

No. 119B—19" x 8" x 7 3/4"—Weight 17 1/2 lbs.

No. 121B—21" x 8" x 7 3/4"—Weight 20 lbs.

No. 500 Series

Specially designed for the mechanic having a limited amount of tools to carry around.



No. 514B—14" x 8" x 6"—Weight 7 lbs.

No. 517B—17" x 8" x 7"—Weight 11 lbs.

No. 521B—21" x 8" x 6"—Weight 16 lbs.

MSB Chest Mounted on MSC Roller Cabinet



**Safeguards Tool Investment
Rolls Right Up to the Job**

Reflects efficiency and promotes Customer Confidence!

DIMENSIONS

CHEST ONLY

Height - 11 1/4"
Width - 12 1/4"
Length - 24 1/4"

COMPLETE

Height - 30 1/2"
Width - 12 1/4"
Length - 24 1/4"

WEIGHT

Roller Cabinet
Complete (less tools and crate)
110 lbs.

The Finest That  Money Can Buy

NUMERICAL INDEX

NEW ITEMS

No.	Page	No.	Page	No.	Page	No.	Page	No.	Page
00A	43	512	36	1431	7	2815	23	C38	35
001	43	513	32	1432	7	2815A	23	C38	35
003	43	514B	57	1433	7	2815B	23	C45CH	34
006	43	517	34	1434	7	2816	23	C45CH	34
0010	41	517B	57	1435	7	2821	23	C46CB	34
04	41	521B	57	1436	7	28A3	24	C46LR	34
042	41	522	32	1497	7	28B4	24	C47H	34
08	41	523	32	1721	19	28C9	24	C47H	34
012	41	524	36	1722	19	28D1	24	CF1	25
0609	42	525	31	1723	19	28D2	24	CF1—(CF49)	25
0671	42	526	36	1723A	19	28D2A	24	CF2	25
0872	42	530	31	1725	19	28D3	24	CF3	25
0873	42	531	31	1725A	19	28D3A	24	CF4	25
4T	24	603	8	1725B	19	28D4	24	CF49	25
6ECB	20	652	8	1730	19	28D4A	24	CH106	54
HELR	20	653	8	1732	19	28D5	24	CH08	54
81	24	653L	8	1728	19	28D5A	24	CH10	54
7W	56	654	33	1729	19	28D6	24	CH11	54
HALR	56	655	8	1730	19	28D7	24	CH12	54
0	56	688	8	1732	19	3112	22	CH14	54
10ECB	20	686	8	1731A	19	3114	22	CH16	54
10 ELR	20	687	8	1731B	19	3118	22	CL3	43
10W	56	699	8	1732	19	3118	22	CL5	43
12ALR	20	707	38	1732A	19	3120	22	CL7	43
15	23	709	8	1733	19	3122	22	CL13	43
10	21	710	38	1734	19	3124	22	CL15	43
17	21	712	38	1735	19	3125	22	CP1	42
20LR	21	718	8	1736	19	3129	22	CP2	42
21LR	21	718S	8	1737	19	3130	22	CP3	42
29LJ	7	719	8	1738	19	3137	22	CP4	42
33LJ	7	719A	8	1739	19	3138	22	C546	10
37LJ	7	720	8	1739A	19	3140	22	D17	43
39	33	827H	27	1739B	19	3140	22	D4065	7
41A	33	827L	27	184	55	4002	7	D4075	7
41LJ	7	827L	27	2307LR	22	4202	7	D4085	7
45LJ	7	827V	27	2311LR	22	4208	7	D4093	7
49LJ	7	838	20	2316	22	4211	7	D4105	7
51	40	840	38	2318	22	4213	7	D4115	7
70	40	842	30	2319	24	4213	7	D4125	7
72A	55	1000	38	2320	22	4218	15	D4145	7
73A	58	1001	38	2322	22	4265	15	DAWG	25
80D	57	1002	27	2324	22	4272	15	D415	25
82B	57	1003	27	2326	22	4284	15	DAW10	25
86	15	1019	19	2328	22	4285	15	DAW12	25
87	15	1020	19	2357D	20	4288	15	D65	25
88	15	1021	19	2358	22	4292	15	D65	25
89	15	1022	19	2358	22	4293	15	D65	25
96	15	1023	19	2358	22	4298	15	E03	43
114B	57	1024	19	2358	22	4298	15	E14	21
119B	57	1025	19	2358	22	4299	15	E18	21
121B	57	1026	19	2406	7	4341	3A	E20	21
122	24	1027C	19	2409	7	7940	39	E22	21
122A	24	1027S	19	2410	7	7944	39	E24	21
122R	24	1028	19	2411	7	7944A	39	F28	21
124	24	1028S	19	2412	7	7944B	39	E28	21
124A	24	1028S	19	2413	7	8385	35	E30	21
124B	24	1029	19	2414	7	8385	35	E40	21
190	29	1030	19	2509	20	A74	4	E42	21
212	44	1032	19	2566	30	ATC	4	E44	21
212A	44	1033	19	2566A	30	B6	32	E46	21
212C	44	1034	19	2566	30	B6	32	F2	45
212E	44	1034C	19	2590	15	R16	32	F3	45
212G	44	1034	19	2590-1	15	B17	33	F4	45
212H	44	1034A	19	2591	15	B18	33	F6	45
212I	44	1035	19	2592	15	B21	31	F8	45
212J	44	1036	19	2599	15	B22	33	F7	45
212K	44	1037	19	2612	30	B73	33	F10	45
220	28	1037A	19	2618	30	B28	32	F12	45
220LR	32	1038	19	2628	30	B30	32	F13	45
270	22	1038A	19	2629	30	B31	32	F15	45
272	22	1039	19	2630	30	BU40	28	F16	46
274	22	1040	19	2631	30	C2	35	F18	46
278	22	1041	19	2632	30	C3	35	F20	46
279	22	1203	24	2729A	20	C6	35	F31	46
308	30	1205	24	2804C	23	C8	35	FH10	47
309	30	1207	24	2804L	23	C9	35	FH14	47
403	8	1209	23	2805L	23	C10	35	FH19	47
405	7	1258	38	2807	23	C12	35	FT57	28
407	7	1258B	39	2807A	23	C13	35	GAG	25
408	7	140B	57	2808	23	C14	35	GAP	25
410	7	1406	7	2809	23	C18	35	GA10	25
411	7	1407	7	2809B	23	C19	35	GA12	25
412	7	1408	7	2810	23	C19	35	GA15	25
413	7	1409	7	2811	23	C21	35	H10	21
414	7	1410	7	2811B	23	C22	35	H12	21
415	7	1411	7	2811E	23	C23	35	H14	21
418	7	1412	7	2812	23	C25	35	H18	21
428	24	1413	7	2812A	23	C26	35	H19	21
461B	87	1414	7	2812B	23	C28	35	H19	21
498	36	1415	7	2812C	23	C29	35	H19S	65
507	36	1416	7	2812E	23	C30	35	H7	39
510	36	1425	7	2813	23	C31	35	HD11	15
				2813A	23	C34	35	HD13	17

NUMERICAL INDEX

NEW ITEMS

No.	Page	No.	Page	No.	Page	No.	Page	XH	Page
HD15 *	17	LS20 *	4	RE73 *	55	T58	4	REAMERS	18
HD21 *	15	LS1 *	28	RF80 *	53	T59 *	14	All ... 26	
HD25 *	15	LS2 *	28	RF81 *	53	T510 *	4		
HD27 *	15	LS3 *	28	RF85 *	53	T512 *	4		
HD38 *	15	LS4 *	28	S4228	15	T514 *	4		
HD31 *	15	MS *	39	S4232	15	T516 *	4		
HD32 *	15	MT *	39	S4234	15	T518 *	4		
HD34 *	15	MS79	10	S4240	15	T520 *	22		
HD36 *	15	MS79	10	S4246	15	TU7 *	22		
HD38 *	15	MS102	9	SB	57	TU9 *	22		
HD40 *	15	MSR	57	SE1	27	TU10 *	4		
HD42 *	15	MSC	57	SE2	27	TU16 *	4		
HD44 *	15	MSBC	57	SE3	27	TU18 *	4		
HD46 *	15	NS0	14	SE4	27	TU20 *	4		
HD48 *	15	NI00	14	SE5	27	TW	25		
HD50 *	15	NI50	14	S01	43	TW4	25		
HD52 *	15	NSP6	25	S02	41	TW5	25		
HD54 *	15	NSP6	25	S04	41	TW6	25		
HD56 *	15	NSP10	25	S06	41	TW7	25		
HD58 *	15	NSP14	25	S08	41	TW8	25		
HD60 *	15	NSP18	25	S012	41	TW10	25		
HD64 *	15	NSP24	25	NP	42	TW12 *	25		
HD70 *	15	NSP36	25	SP1	42	V0	1		
HS1018	40	NSP48	25	SP2	42	V7 *	3		
HS1024	40	PC39	34	SW14	13	V8 *	3		
HS1032	40	PH5M	44	SW15	13	V10 *	3		
HS1018	40	PH15	44	SW18	13	V11 *	3		
HS1224	40	PH18	44	SW20	12	V12 *	3		
HS1232	40	PH19	44	SW23	12	V14 *	3		
HY10 *	14	PH20	44	SW35	11	V18 *	3		
K1	40	PH22	44	SW44	11	V19 *	3		
K2	40	PH23	44	T1	4	V22 *	3		
K4	40	PH24	44	T3	4	V25 *	3		
K6	40	PH26	44	T4	4	V27 *	3		
K50	36	PH27	43	T5	4	V67 *	50		
K51	36	PH38	45	T9	4	V68 *	50		
K52	36	PHB	44	T10	4	V69 *	50		
K53	36	PHC	44	T12	4	V58 *	3		
K54	36	PHI	44	T14	4	V510 *	3		
K55	37	PHP	44	T16	4	V512 *	3		
K56	37	PHR	44	T18	4	V513 *	3		
K57	37	R2	43	T19 *	4	V514 *	3		
K58	37	R3	43	T20 *	4	V524 *	3		
K59	37	RB1	42	T22 *	4	V530 *	3		
K11—(CH)	24	RB2	42	T24 *	4	W2 *	25		
LA01A	24	RB3	42	T26 *	4	W2 1/2 *	25		
LA02	24	RB121	42	T27 *	4	W3 *	25		
LA03	24	RB122	42	T30 *	4	W4 *	25		
LA04	24	RB123	42	T31 *	4	W5 *	25		
LD5	6	RC1	29	T32 *	4	W6 *	25		
LD10	6	RC2	29	T34 *	4	W7 *	25		
LD18	6	RC3	29	T35 *	4	W8 *	25		
LD18	6	RC4	29	T36 *	4	W9 *	25		
LD20	6	RE3	27	T42 *	4	W10 *	25		
LD22	6	RE5	27	T128	4	W11L *	25		
LD24	6	RF2 *	55	T140	4	W12 *	25		
LD26	6	RF3 *	55	T160 *	4	W16 *	25		
LD28	6	RF4 *	55	T180	4	W18 *	25		
LD30	6	RF5 *	55	T200	4	W20 *	25		
LD32	6	RF6 *	55	T220	4	W24 *	41		
LD34 *	6	RF1 *	55	T240	4	W03	41		
LD36	6	RF11 *	55	T260	4	W04	41		
LD38	15	RF12 *	55	T280	4	W06 *	41		
LD34	15	RF13 *	55	TA1018	40	W08 *	41		
LD36	15	RF14 *	55	TA1024	40	W010	41		
LD38	15	RF15 *	55	TA1032	40	W1 *	42		
LD40	15	RF16 *	55	TA1038	40	W12 *	42		
LD42	15	RF17 *	55	TA1044	40	W14 *	42		
LD44	15	RF18 *	55	TA1050	40	W16 *	42		
LD46	15	RF19 *	55	TA1056	40	W18 *	42		
LD48	15	RF20 *	55	TA1062	40	W20 *	42		
LD50	15	RF21 *	55	TA1068	40	W22 *	42		
LD52	15	RF22 *	55	TA1074	40	W24 *	42		
LD54	15	RF23 *	55	TA1080	40	W26 *	42		
LD56	15	RF24 *	55	TA1086	40	W28 *	42		
LD58	15	RF25 *	55	TA1092	40	W30 *	42		
LD60	15	RF26 *	55	TA1098	40	W32 *	42		
LD62	15	RF27 *	55	TA1104	40	W34 *	42		
LD64	15	RF28 *	55	TA1110	40	W36 *	42		
LD66	15	RF29 *	55	TA1116	40	W38 *	42		
LD68	15	RF30 *	55	TA1122	40	W40 *	42		
LD70	15	RF31 *	55	TA1128	40	W42 *	42		
LD72	15	RF32 *	55	TA1134	40	W44 *	42		
LD74	15	RF33 *	55	TA1140	40	W46 *	42		
LD76	15	RF34 *	55	TA1146	40	W48 *	42		
LD78	15	RF35 *	55	TA1152	40	W50 *	42		
LD80	15	RF36 *	55	TA1158	40	W52 *	42		
LD82	15	RF37 *	55	TA1164	40	W54 *	42		
LD84	15	RF38 *	55	TA1170	40	W56 *	42		
LD86	15	RF39 *	55	TA1176	40	W58 *	42		
LD88	15	RF40 *	55	TA1182	40	W60 *	42		
LD90	15	RF41 *	55	TA1188	40	W62 *	42		
LD92	15	RF42 *	55	TA1194	40	W64 *	42		
LD94	15	RF43 *	55	TA1200	40	W66 *	42		
LD96	15	RF44 *	55	TA1206	40	W68 *	42		
LD98	15	RF45 *	55	TA1212	40	W70 *	42		
LD100	15	RF46 *	55	TA1218	40	W72 *	42		
LD102	15	RF47 *	55	TA1224	40	W74 *	42		
LD104	15	RF48 *	55	TA1230	40	W76 *	42		
LD106	15	RF49 *	55	TA1236	40	W78 *	42		
LD108	15	RF50 *	55	TA1242	40	W80 *	42		
LD110	15	RF51 *	55	TA1248	40	W82 *	42		
LD112	15	RF52 *	55	TA1254	40	W84 *	42		
LD114	15	RF53 *	55	TA1260	40	W86 *	42		
LD116	15	RF54 *	55	TA1266	40	W88 *	42		
LD118	15	RF55 *	55	TA1272	40	W90 *	42		
LD120	15	RF56 *	55	TA1278	40	W92 *	42		
LD122	15	RF57 *	55	TA1284	40	W94 *	42		
LD124	15	RF58 *	55	TA1290	40	W96 *	42		
LD126	15	RF59 *	55	TA1296	40	W98 *	42		
LD128	15	RF60 *	55	TA1302	40	W100 *	42		
LD130	15	RF61 *	55	TA1308	40	W102 *	42		
LD132	15	RF62 *	55	TA1314	40	W104 *	42		
LD134	15	RF63 *	55	TA1320	40	W106 *	42		
LD136	15	RF64 *	55	TA1326	40	W108 *	42		
LD138	15	RF65 *	55	TA1332	40	W110 *	42		
LD140	15	RF66 *	55	TA1338	40	W112 *	42		
LD142	15	RF67 *	55	TA1344	40	W114 *	42		
LD144	15	RF68 *	55	TA1350	40	W116 *	42		
LD146	15	RF69 *	55	TA1356	40	W118 *	42		
LD148	15	RF70 *	55	TA1362	40	W120 *	42		
LD150	15	RF71 *	55	TA1368	40	W122 *	42		
LD152	15	RF72 *	55	TA1374	40	W124 *	42		
LD154	15	RF73 *	55	TA1380	40	W126 *	42		
LD156	15	RF74 *	55	TA1386	40	W128 *	42		
LD158	15	RF75 *	55	TA1392	40	W130 *	42		
LD160	15	RF76 *	55	TA1398	40	W132 *	42		
LD162	15	RF77 *	55	TA1404	40	W134 *	42		
LD164	15	RF78 *	55	TA1410	40	W136 *	42		
LD166	15	RF79 *	55	TA1416	40	W138 *	42		
LD168	15	RF80 *	55	TA1422	40	W140 *	42		
LD170	15	RF81 *	55	TA1428	40	W142 *	42		
LD172	15	RF82 *	55	TA1434	40	W144 *	42		
LD174	15	RF83 *	55	TA1440	40	W146 *	42		
LD176	15	RF84 *	55	TA1446	40	W148 *	42		
LD178	15	RF85 *	55	TA1452	40	W150 *	42		
LD180	15	RF86 *	55	TA1458	40	W152 *	42		
LD182	15	RF87 *	55	TA1464	40	W154 *	42		
LD184	15	RF88 *	55	TA1470	40	W156 *	42		
LD186	15	RF89 *	55	TA1476	40	W158 *	42		
LD188	15	RF90 *	55	TA1482	40	W160 *	42		
LD190	15	RF91 *	55	TA1488	40	W162 *	42		
LD192	15	RF92 *	55	TA1494	40	W164 *	42		
LD194	15	RF93 *	55	TA1500	40	W166 *	42		
LD196	15	RF94 *	55	TA1506	40	W168 *	42		
LD198	15	RF95 *	55	TA1512	40	W170 *	42		
LD200	15	RF96 *	55	TA1518	40	W172 *	42		
LD202	15	RF97 *	55	TA1524	40	W174 *	42		
LD204	15	RF98 *	55	TA1530	40	W176 *	42		
LD206	15	RF99 *	55	TA1536	40	W178 *	42		
LD208	15	RF100 *	55	TA1542	40	W180 *	42		
LD210	15	RF101 *	55	TA1548	40	W182 *	42		
LD212	15	RF102 *	55	TA1554	40	W184 *	42		
LD214	15	RF103 *	55	TA1560	40	W186 *	42		
LD216	15	RF104 *	55	TA1566	40	W188 *	42		
LD218	15	RF105 *	55	TA1572	40	W190 *	42		
LD220	15	RF106 *	55	TA1578	40	W192 *	42		
LD222	15	RF107 *	55	TA1584	40	W194 *	42		
LD224	15	RF108 *	55	TA1590	40	W196 *	42		
LD226	15	RF109 *	55	TA1596	40	W198 *	42		
LD228	15	RF110 *	55	TA1602	40	W200 *	42		
LD230	15	RF111 *	55	TA1608	40	W202 *	42		
LD232	15	RF112 *	55	TA1614	40	W204 *	42</		

CHART OF WRENCH AND SOCKET OPENINGS AND SIZES OF BOLTS AND NUTS THEY FIT

Wrench Opening	American Standard Reg. Bolts	American Standard Reg. Nuts Size Bolts	Amer. Std. Heavy Nuts (U.S.S.); Size Bolts	Amer. Std. Light Nuts (S.A.E.); Jam Nuts, Castle Nuts and Slotted Nuts; Size Bolts	Cap Screws	Set Screws	Machine Screw Nuts and Stove Bolt Nuts	Wrench Opening
5/32							No. 0 & No. 1	5/32
3/16							No. 2 & No. 3	3/16
1/4						1/4	No. 4	1/4
5/16						5/16	No. 5 & No. 6	5/16
11/32							No. 8	11/32
3/8	1/4					3/8	No. 10	3/8
7/16		1/4		1/4	1/4	7/16	No. 12 & No. 14	7/16
1/2	5/16		1/4	5/16	5/16	1/2		1/2
9/16	3/8	5/16		3/8	3/8	9/16	5/16	9/16
19/32			5/16					19/32
5/8	7/16	3/8		7/16	7/16	5/8	3/8	5/8
11/16			3/8					11/16
3/4	1/2	7/16		1/2	1/2	3/4		3/4
25/32			7/16					25/32
13/16		1/2			9/16			13/16
7/8	9/16	9/16	1/2	9/16	6/8	7/8		7/8
15/16	5/8		9/16	5/8				15/16
1		5/8			3/4	1		1
1-1/16			5/8	3/4				1-1/16
1-1/8	3/4	3/4			7/8	1-1/8		1-1/8
1-1/4			3/4	7/8		1-1/4		1-1/4
1-5/16	7/8	7/8						1-5/16
1-3/8						1-3/8		1-3/8
1-7/16			7/8	1				1-7/16
1-1/2	1	1			1-1/2	1-1/2		1-1/2
1-5/8			1	1-1/8				1-5/8
1-11/16	1-1/8	1-1/8		1-1/8	1-1/2			1-11/16
1-13/16			1-1/8	1-1/4				1-13/16
1-7/8	1-1/4	1-1/4						1-7/8
2			1-1/4	1-3/8				2
2-1/16	1-3/8	1-3/8						2-1/16
2-3/16			1-3/8	1-1/2				2-3/16
2-1/4	1-1/2	1-1/2						2-1/4
2-3/8			1-1/2					2-3/8
2-7/16	1-5/8	1-5/8						2-7/16
2-9/16			1-5/8					2-9/16
2-5/8	1-3/4	1-3/4						2-5/8
2-3/4			1-3/4					2-3/4
2-13/16	1-7/8	1-7/8						2-13/16
2-15/16			1-7/8					2-15/16
3	2	2						3
3-1/8			2					3-1/8
3-3/8	2-1/4	2-1/4						3-3/8
3-1/2			2-1/4					3-1/2
3-3/4	2-1/2	2-1/2						3-3/4
3-7/8			2-1/2					3-7/8
4-1/8	2-3/4	2-3/4						4-1/8
4-1/4			2-3/4					4-1/4
4-1/2	3	3						4-1/2
4-5/8			3					4-5/8
5			3-1/4					5
5-3/8			3-1/2					5-3/8
5-3/4			3-3/4					5-3/4
6-1/8			4					6-1/8



